

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Name of the teacher-consultants	Name of consultancy project	Consulting/Sponsoring agency with contact details	Year	Revenue generated (INR in Lakhs)	Number of trainees
2017-2018					
Sowjanya	Agreagate Testing	The Executive Engineer, APSSA, Kurnool.	2017-2018	0.115	consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	Hey Krishna Bharath Opp. Gollapalli(V) Chapatla Road, Rapthadu(M) Ananthapur Dist.	2017-2018	0.1794	Consultancy work only, No trainees
V.Giridhar	compressive strength of concrete cubes	Sree Rayalaseema Alkalies and Allied Chemical Ltd., Regd.off.&Factory : Gondiparla,Kurnool-518004(A.P) India.	2017-2018	0.0517	Consultancy work only, No trainees
Dr.KVSGK Sastry	Steel Testing	The Assistant Executive Engineer (R&B) R&B Section Kodumur, Kurnool Dt.	2017-2018	0.01725	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Assistant Executive Engineer (R&B) Section II, Kurnool Dt.	2017-2018	0.04025	Consultancy work only, No trainees
V.Giridhar	Cement Testing	The Executive Engineer, APSSA, Kurnool.	2017-2018	0.129	Consultancy work only, No trainees
V.Giridhar	Cement Testing	The Assistant Executive Engineer (R&B), R&B Section, Kodumur, Kurnool.	2017-2018	0.0333	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Assistant Executive Engineer Civil, Kurnool.	2017-2018	0.0517	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	The Executive Engineer, APSSA, Kurnool.	2017-2018	0.0299	Consultanc y work only, No trainees
G.Nagesh Kumar	Steel Testing	The Executive Engineer, APSSA, Kurnool.	2017-2018	0.129	Consultanc y work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer, PRI Sub Division, Yemmiganur Kurnool Dist.	2017-2018	0.0299	Consultanc y work only, No trainees
Dr.J.V. Gurumurhty	Soil Testing	The Deputy Executive Engineer Kurnool Municipal Co- orporation, (Raghuram Hume Pipes Pvt. Ltd.) Kurnool	2017-2018	0.0299	Consultanc y work only, No trainees
Dr.K.Chinnap a Reddy	Soil Testing	The Deputy Executive Engineer (R&B) Adoni Sub Division, Adoni	2017-2018	0.0598	Consultanc y work only, No trainees
Dr.J.V. Gurumurhty	Soil Testing	The Deputy Executive Engineer, (R&B) Sub Division, Dhone.	2017-2018	0.0299	Consultanc y work only, No trainees
K.Sudhakar Reddy	compressive strength of concrete cubes	Suntech Energy Solar Project (15MW) Gadwal	2017-2018	0.0517	Consultanc y work only, No trainees
Dr.J.V. Gurumurhty	Soil Testing	The Secretary, Krishi Vigyan Kendra, Yagantipalli ,Banaganapalle (M) Kurnool	2017-2018	0.0598	Consultanc y work only, No trainees
S.V.Garata Reddy	Soil Testing	Sri. E.Prakash Reddy, B.Tech, MIE The Executive Engineer, APSSA, Kurnool	2017-2018	0.1794	Consultanc y work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive Engineer, APEWIDC, Sub-Division, Kurnool	2017-2018	0.0299	Consultancy work only, No trainees
V.Giridhar	compressive strength of concrete cubes	Skanda Infra Project, Ucon Plaza, Kurnool.	2017-2018	0.0517	Consultancy work only, No trainees
K.Sudhakar Reddy	compressive strength of concrete cubes	Bahoo Plaza Opposite More Super Market Amma Hospital Kurnool	2017-2018	0.0517	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Deputy Executive Engineer R&B QB Sub-Division Kurnool District	2017-2018	0.02645	Consultancy work only, No trainees
V.Giridhar	Mix Design	Stapathi Architects & Engineer Srinivas Nagar Kurnool	2017-2018	0.045	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive Engineer, (FAC) RWS&S Sub-Division, Alampur, Jogulamba Gadwal.	2017-2018	0.0299	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	JRC KCVR Projects Somayajulapalli Kurnool District	2017-2018	0.02645	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	A.Bhaskar Survey No.35/5C1A1 Door No.-52-144C, 52-145, 52-145A & 52-145B King Market Kurnool	2017-2018	0.0897	Consultancy work only, No trainees
V.Giridhar	Cement Testing	The Deputy Executive Engineer, A.B.R. Sub Division, Nandikotkur.	2017-2018	0.121	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer (R&B) Sub Division, Yemmiganur.	2017-2018	0.026	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer (R&B) Sub Division, Yemmiganur.	2017-2018	0.026	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Deputy Executive Engineer Vigilance & QC RWS&S Kurnool	2017-2018	0.04025	Consultancy work only, No trainees
K.Sudhakar Reddy	Soil Testing	The Deputy Executive Engineer APSHCL., Construction Division, Kurnool.	2017-2018	0.0517	Consultancy work only, No trainees
Dr.KVSGK Sastry	Mix Design	The Deputy Executive Engineer, RWS(P), Nandikotkur.	2017-2018	0.2415	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Greenko Energy Projects Private Limited Jubilee Hills Hyderabad Telangana-500033.	2017-2018	0.02645	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive Engineer APSSA, Kurnool	2017-2018	0.0598	Consultancy work only, No trainees
Sowjanya	Cement Testing	Hussain Reddy Stone Crusher Edavalli Village Dornala Mandal Prakasham District	2017-2018	0.02875	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	M/S TEKBURO ENGINEERING PVT. LTD. MUMBAI	2017-2018	0.05865	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Sowjanya	Cement Testing	JRC KCVR Projects Somayajulapalli Kurnool District	2017-2018	0.05635	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer (FAC) APSSA, Kurnool	2017-2018	0.0299	Consultancy work only, No trainees
V.K.Visweswararao	Steel Testing	The Executive Engineer (FAC) APSSA, Kurnool	2017-2018	0.069	Consultancy work only, No trainees
E.Dhanunjaya	Aggregate Testing	Greenko Energy Projects Private Limited Jubilee Hills Hyderabad Telangana-500033.	2017-2018	0.07705	Consultancy work only, No trainees
V.Giridhar	compressive strength of concrete cubes	The Executive Engineer II Construction Division Kurnool.	2017-2018	0.005175	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Assistant Executive Engineer (R&B) Section, Alur.	2017-2018	0.0598	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Assistant Executive Engineer (R&B) Section, Alur.	2017-2018	0.04025	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2017-2018	0.108675	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer APSSA, Kurnool	2017-2018	0.0598	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	T.P.Sunkanna S/O T.Sunkanna Ashok Nagar Kurnool	2017-2018	0.0782	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V.Garata Reddy	Soil Testing	The Executive Engineer (H) Construction Division Kurnool.	2017-2018	0.005175	Consultancy work only, No trainees
E.Dhanunjaya	Aggregate Testing	E.P.R. Constructions, Engineers and Contractors, Flat No.208, Vasavi Residency, N.K. Road, Nandyal	2017-2018	0.014375	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Deputy Executive Engineer (R&B) Sub Division Dhone.	2017-2018	0	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Executive Engineer (FAC) APSSA, Kurnool	2017-2018	0.0299	Consultancy work only, No trainees
G.Nagesh Kumar	Cement Testing	The Executive Engineer, (FAC) APSSA, Kurnool.	2017-2018	0.138	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Jasaintha Infra Projects Pvt.Ltd 5-32-125/A, Prashanthi Nagar, Kukatpally, Hyderabad 72	2017-2018	0.01035	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive Engineer, APEWIDC Sub Division, Kurnool.	2017-2018	0.0299	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	Skandhanshi , Infra Project India Pvt.Ltd. Ucon Plaza 2nd Floor, Kurnool	2017-2018	0.1495	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer, APSP Police Housing Corporation Ltd., Kurnool.	2017-2018	0.0299	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K.Chinnappa Reddy	Soil Testing	Sri.B.Hari Prasad B.Tech., Survey No. 658 A, LP.No. 164/82-2 Dhanalakshmi Nagar Near Nandyal Checkpost Kurnool	2017-2018	0.0299	Consultancy work only, No trainees
G.Nagesh Kumar	compressive strength of concrete cubes	Skanda Infra Project , Ucon Plaza Kurnool	2017-2018	0.01035	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive Engineer (R&B) Sub Division Kodumur.	2017-2018	0.04025	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer (FAC) APSSA, Kurnool	2017-2018	0.0299	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer (FAC) APSSA, Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
G.Nagesh Kumar	compressive strength of concrete cubes	Mr.Abbas Ali Khan Old Bustand, Kurnool	2017-2018	0.00531	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Deputy Executive Engineer (R&B) Sub Division Dhone. 37AACFC7761J1Z6	2017-2018	0.0413	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer A.P.S.P.H.C.Limited Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer R&B Sub Division Nandyal	2017-2018	0.03068	Consultancy work only, No trainees

KURNOOL, ANDHRA PRADESH , 518007

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

G.Nagesh Kumar	Precast columns	Greenko (GEPPL), Mega Solar Park, Ghani (V), Orvakal (M), Kurnool (Dist)	2017-2018	0.01062	Consultancy work only, No trainees
G.Nagesh Kumar	compressive strength of concrete cubes	Jacintha Infra Projects Pvt.Ltd. 5-32-125/A,Prashanthi Nagar, Kukatpally,Hyderabad-72	2017-2018	0.00531	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer Vigilance & QC RWS&S Kurnool	2017-2018	0.0118	Consultancy work only, No trainees
V.K.Visweswara rao	compressive strength of concrete cubes	Mr.Musthaq Ahammed Opp.Medical College Kurnool	2017-2018	0.00531	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	Andhra Pradesh Pollution Control Board , Zonal Office 1st Floor Shankar Shopping Complx, Krishna Nagar Main Road, Kurnool .	2017-2018	0	Consultancy work only, No trainees
		Nil	2017-2018	0	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Ch.Venkateshwar Rao B.Tech, The Project Manager (Engg) BIACL Visakhapatnam	2017-2018	0.02832	Consultancy work only, No trainees
Sowjanya	Bitumen testing	Sri Eswar Reddy& co. Plot 14, Shivasai Colony, Anjaneyanagar, Moosapet, Hyderabad - 500072	2017-2018	0.02242	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer A.P.S.P.H.C.Limited, Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Zonal Manager, APIIC LTD, Zonal Office Industrial Park, Kurnool	2017-2018	0.07552	Consultancy work only, No trainees
G.Nagesh Kumar	Flyash bricks testing	The Executive Engineer A.P.E.W.I.D.C, Kurnool	2017-2018	0.01888	Consultancy work only, No trainees
G.Nagesh Kumar	Mix Design	The Deputy Executive Engineer Public Health, Nandyal.	2017-2018	0.1593	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Assistant Executive Engineer RWS & S, Dhone (Mandal), Kurnool (dist)	2017-2018	0.03068	Consultancy work only, No trainees
V.K.Visweswara rao	Mix Design	Sri.P.Prabhakar Reddy Class - I Contractor Ramalingeshwar Nagar,Kurnool.	2017-2018	0.1062	Consultancy work only, No trainees
G.Nagesh Kumar	compressive strength of concrete cubes	ACC Limited Mr.Annur Ahmmmed Abbas Nagar, Kurnool	2017-2018	0.00531	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	Assistant Executive Engineer, RWS & S, Section, Nandavaran	2017-2018	0.03186	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	Shapoorji Pallanji and Co Pvt. LTD, APTIDCO - EWS Housing -YMG1, Yemmiganur Mandal, Andhrapradash- 518360	2017-2018	0.10502	Consultancy work only, No trainees
V.Giridhar	Mix Design	The Assistant Executive Engineer RWS&S, DHONE(M) KURNOOL.	2017-2018	0.1593	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive Engineer R&B Sub Division Yemmiganur Kurnool District	2017-2018	0.05664	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	Sri. Ch. Venkateswara Rao, B.Tech, Project Engineer, (Engg), BIACL, Visakhapatnam	2017-2018	0.08732	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Assistant Executive Engineer APSSA, Holaguda Mandal Kurnool District	2017-2018	0.03068	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	The Executive Engineer,(FAC) APSSA,Kurnool.	2017-2018	0.1416	Consultancy work only, No trainees
Dr.T.Chandrasekhar reddy	Steel Testing	The Assistant Executive Engineer, (R&B) Section - III,Kurnool.	2017-2018	0.1062	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Assistant Executive Engineer, (R&B) Section - III,Kurnool.	2017-2018	0.12272	Consultancy work only, No trainees
V.K.Visweswararao	Cement Testing	The Assistant Executive Engineer, (R&B) Section - III,Kurnool.	2017-2018	0.03422	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Dr.P.Sreenivasulu H.NO.:- 50/760/A-85A Gayathri Estate,Kurnool	2017-2018	0.059	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	Jain Irrigation System Ltd. Kurnool	2017-2018	0.0413	Consultancy work only, No trainees
K.Sudhakar Reddy	Bricks testing	ABB India Ltd 2x50MW Azure Power India Pvt. Ltd. AP-2.1 &2.2 Ghani,Shakunala.Kurnool	2017-2018	0.03422	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V. Gurumurthy	Soil Testing	I Razia Khatoonw/o Dr.Iqbal Hussain Survey No. 403/2B Opposite New Bustand, Kallur,Kurnool.	2017-2018	0.0354	Consultancy work only, No trainees
K.Sudhakar Reddy	compressive strength of concrete cubes	ACC Limited Srikanth Reddy beside C Camp More Super Market , Kurnool	2017-2018	0.00531	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Mr.Ch.Venkateshwar Rao B.Tech, Project Manager (Engg) BIACL,Visakhapatnam	2017-2018	0.04366	Consultancy work only, No trainees
G.Nagesh Kumar	Cement Cores Testing	The Deputy Executive Engineer RWS&S V&QC,Sub - Division Kurnool	2017-2018	0.01239	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	Mr.Ch.Venkateshwar Rao B.Tech, Project Manager (Engg) BIACL,Visakhapatnam	2017-2018	0.16638	Consultancy work only, No trainees
K.Sudhakar Reddy	compressive strength of concrete cubes	Mr.Ch.Venkateshwar Rao B.Tech, Project Manager (Engg) BIACL,Visakhapatnam	2017-2018	0.0124	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Sowjanya	Aggregate Testing	Manjeera Cement Concrete Products H.No. 50/760A-120,Gayatri Estate, Kurnool	2017-2018	0.03422	Consultancy work only, No trainees
K.Sudhakar Reddy	compressive strength of concrete cubes	Manjeera Cement Concrete Products H.No. 50/760A-120,Gayatri Estate, Kurnool	2017-2018	0.01062	Consultancy work only, No trainees
V.K.Visweswara rao	compressive strength of concrete cubes	The Executive Engineer (FAC), APSSA,Kurnool.	2017-2018	0.05959	Consultancy work only, No trainees
V.K.Visweswara rao	Steel Testing	The Executive Engineer (FAC) APSSA, Kurnool	2017-2018	0.06962	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Executive Engineer (FAC), APSSA,Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Manjeera Cement Concrete Products H.No. 50/760A-120,Gayatri Estate, Kurnool	2017-2018	0.01062	Consultancy work only, No trainees
Dr.T.Chandrasekhar reddy	Mix Design	The Deputy Executive Engineer Public Health, Nandyal.	2017-2018	0.1062	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) Section - III, Kurnool.	2017-2018	0.06136	Consultancy work only, No trainees
V.Giridhar	compressive strength of concrete cubes	Manjeera Cement Concrete Products H.No. 50/760A-120,Gayatri Estate, Kurnool	2017-2018	0.00531	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

V.Giridhar	compressive strength of concrete cubes	Manjeera Cement Concrete Products H.No. 50/760A-120,Gayatri Estate, Kurnool	2017-2018	0.00531	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Deputy Executive Engineer (R&B) Sub - Division,Nandyal	2017-2018	0.06136	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Indian Hume Pipe Co.Ltd. 6-4-23,First Floor,SBI Officers Colony, 3rd Cross,Maruthi Nagar,Ananthapuramu.	2017-2018	0.05428	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Mr.P.Govardhan Reddy S/o P.Ayyapu Reddy Kamala Nagar Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Mr.I.Bhimeswara Reddy S/o I.Bala Rama Reddy Kamala Nagar Kurnool	2017-2018	0.06136	Consultancy work only, No trainees
V.Giridhar	compressive strength of concrete cubes	Skandanshi Infra Projects, Ucon Plaza, Kurnool.	2017-2018	0.01062	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Deputy Executive Engineer, R&B Sub - Division, Yemmiganur.	2017-2018	0.02714	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	Assistant Executive Engineer,(R&B) R&B Section -1, Kurnool.	2017-2018	0.04366	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Deputy Executive Engineer,(R&B) R&B Sub - Division Yemmiganur	2017-2018	0.04366	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Sowjanya	Aggregate Testing	M/S Mallikarjuna stones and Minerals, D.No. 40-581-A, 2nd floor, S.V.Complex, Kurnool	2017-2018	0.03304	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Sri. G.D. Lingappa, Plot No. 10/220, Kondaveeti Prantham, Yemmiganur, Kurnool Dist.	2017-2018	0.03068	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	M/S Skanda Infra Projects Ucon Plaza, IInd Floor Kurnool.	2017-2018	0.0826	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Executive Engineer (R& B) Division, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Sri . N.Nagaraju, Banagana Palli, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer,(FAC) APSSA, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) Section, Kurnool.	2017-2018	0.12272	Consultancy work only, No trainees
V.Giridhar	compressive strength of concrete cubes	Manjeera Cement Concrete Products H.No. 50/760A-120,Gayatri Estate, Kurnool	2017-2018	0.00531	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Abbas Ali Khan Old Bustand, Kurnool	2017-2018	0.00531	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Ameer Ahammed, ACC Limited, Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Keshav Goud, ACC Limited, Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Yusif, ACC Limited,Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Srikanth Reddy, ACC Limited,Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.B.V.Ramana Babu, ACC Limited,Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	Manjeera Cement Concrete Products H.No. 50/760A-120,Gayatri Estate, Kurnool	2017-2018	0.00531	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Executive Engineer,(FAC) APSSA, Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Executive Engineer,(FAC) APSSA, Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
Dr.T.Chandra sekhar reddy	Mix Design	The Deputy Executive Engineer Public Health, Nandyal.	2017-2018	0.0531	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Deputy Executive Engineer R& B Sub Division Kodumur.	2017-2018	0.04366	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive Engineer, RWS&S Sub - Division : Alampur	2017-2018	0.09204	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	P.Anthony Raj Sri.Vinayaka Nagar, Near Ashok Nagar, Kurnool - 518003	2017-2018	0.0354	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

V.Giridhar	Mix Design	The Commissioner, Gudur Nagarapanchayat, Gudur, Kurnool District.	2017-2018	0.1593	Consultancy work only, No trainees
Dr.E.Sanjeeva rayudu	Water Tsting	GREENKO ENERGY PROJECTS Pvt. Ltd., Gani Ultra mega solar project. Gadivemula, Kurnool.	2017-2018	0.08496	Consultancy work only, No trainees
G.Nagesh Kumar	Steel Testing	The Executive Engineer (FAC), APSSA,Kurnool.	2017-2018	0.0472	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing		2017-2018	0	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	KL.Srikanth Goud, S/o Sudhakar goud, Survey No. 660/A2, Near Vaartha office godown. Kurnool	2017-2018	0.12272	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	S. Mansoor Ahmed, C/o Mubarak Filling station, Brahmankotkur (V), Nandikotkur (M) Kurnool Dt.	2017-2018	0.06136	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Deputy Executive Engineer, Vigilance & QC RWS & S,Kurnool.	2017-2018	0.01416	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Deputy Executive Engineer, Vigilance & QC RWS & S, Kurnool.	2017-2018	0.04248	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) Section,Peapully.	2017-2018	0.06136	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer, APMSIDC Division Kurnool	2017-2018	0.09204	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer/Civil APSPCL Kurnool	2017-2018	0.04602	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Project Manager(Engg) BIACL Visakhapatnam	2017-2018	0.0826	Consultancy work only, No trainees
V.Giridhar	Cement Testing	The Project Manager(Engg) BIACL Visakhapatnam	2017-2018	0.03068	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	Mr.Prashanth Kumar, ACC Limited,Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	Mr.Nagappa, ACC Limited,Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
V.Giridhar	Steel Testing	The Deputy Executive Engineer, (R&B), Sub -Division, Atmakur.	2017-2018	0.10207	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Executive Engineer, APEWIDC Division,Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Executive Engineer, APEWIDC Sub-Division,Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
V.Giridhar	Cement Testing	Nilkanth Infra Sy.No. 275/1,Dinnedevarapadu (V) Kurnool (M) & (Dist)	2017-2018	0.03776	Consultancy work only, No trainees
V.Giridhar	Cement	Tirupati Precast Panchalingala (V),Kurnool	2017-2018	0.03776	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer, R&B Sub Division,Dhone.	2017-2018	0.13806	Consultancy work only, No trainees
V.Giridhar	Stone dust testing	The Deputy Executive Engineer, R&B Sub Division,Dhone.	2017-2018	0.02773	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	Choudhary Constructions, Old Shiv Bary Road, suraj vihar-3, Bikaner	2017-2018	0.04602	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	Skandha Infra Projects, U Con Plaza,Park Road, Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	K.N.V. Rajasekhar, Indus School &Hostel Building, Pandipadu (V) Kurnool.	2017-2018	0.12272	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer (FAC), APSSA,Kurnool	2017-2018	0.03068	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	The Deputy Executive Engineer, APSSA, Kurnool	2017-2018	0.10089	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	BVR Constructions, No.MIG 39/6,3rd Phase KPHB Colony, Kukatpally,Hyderabad.	2017-2018	0.05369	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer, R&B Sub Division,Koilkuntla.	2017-2018	0.04366	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Project Manager (Engg) BIACL,Vishakapatnam	2017-2018	0.04366	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.KVSGK Sastry	Mix Design	The Project Manager (Engg) BIACL,Vishakapatnam	2017-2018	0.36285	Consultancy work only, No trainees
Dr.E.Sanjeeva rayudu	Water Tsting	The Project Manager (Engg) BIACL,Vishakapatnam	2017-2018	0.02006	Consultancy work only, No trainees
Sowjanya	Agreagate Testing	N.Ramakrishna, Railway Contractor,Miraj.	2017-2018	0.01475	Consultancy work only, No trainees
Sowjanya	Agreagate Testing	N.Ramakrishna, Railway Contractor,Miraj.	2017-2018	0.01475	Consultancy work only, No trainees
Sowjanya	Agreagate Testing	N.Ramakrishna, Railway Contractor,Miraj.	2017-2018	0.01475	Consultancy work only, No trainees
Sowjanya	Agreagate Testing	N.Ramakrishna, Railway Contractor,Miraj.	2017-2018	0.01475	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Er.Maddilety, ACC Limited,Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Sri.V.Balachandra Reddy Flat No. 204, Viswasainivas,Kurnool	2017-2018	0.06136	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Assistant Executive Engineer, (R&B) ,Kurnool	2017-2018	0.02242	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	M/S. KCVR Infra Projects, Hyderabad	2017-2018	0.0413	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer, Vigilece & QC RWS&S,Kurnool.	2017-2018	0.0236	Consultancy work only, No trainees
Sowjanya	Agreagate Testing	The Deputy Executive Engineer, APSSA,Kurnool	2017-2018	0.16933	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive R & B Sub Division, Kodumur	2017-2018	0.02242	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer, APMSIDC Division, Kurnool	2017-2018	0.12036	Consultancy work only, No trainees
G.Nagesh Kumar	Mix Design	M/S KCVR Infra Projects Pvt Ltd Hyderabad	2017-2018	0.1593	Consultancy work only, No trainees
Sowjanya	Aggregate Testing	The Deputy Executive Engineer, APSSA, Kurnool	2017-2018	0.16933	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Naidu, ACC Limited, Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
V.K.Visweswara rao	Mix Design	M/S Genret Energy Solutions Pvt Ltd Level-3, Spacion Towers, Madhapur, Hyderabad	2017-2018	0.1593	Consultancy work only, No trainees
Dr.T.Chandrasekhar reddy	Mix Design	The Executive Engineer, Kurnool Municipal Corporation, Kurnool.	2017-2018	0.1593	Consultancy work only, No trainees
K.Sudhakar Reddy	compressive strength of concrete cubes	Generet energy Solutions Pvt. LTD, level-3, spacion tpwers, No.1-98/5/2A, Vittal rao nagar, Madhapur, Hyderabad	2017-2018	0.00531	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M. Basha Mohiddin	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
K.Sudhakar Reddy	compressive strength of concrete cubes	Mr.Yusuf, ACC Limited, Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Smt.S.Indira W/o Sri. S.K. Srinivasa Reddy H.No 4-99 Koilakuntla, Kurnool Dist.	2017-2018	0.12272	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Manager, JRC & KCVR Construction Company, Somayajulapalli, Kurnool.	2017-2018	0.03658	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Executive Engineer, TLC-LIS Civil Division, AP Transco, Kurnool.	2017-2018	0.04956	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) ABC Camps Section, Kurnool.	2017-2018	0.09204	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Dr. Devi Reddy Sujana, W/o Dr. Kesava Reddy, Sanath Nagar, Kallur, Kurnool.	2017-2018	0.06136	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Soil Testing	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V. Gurumurthy	Soil Testing	G.D. Lingappa, S/O G.Dakappa, H.No 10/220, kondaveety Prantham, Yemmiganur.	2017-2018	0.03068	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Raghu Ram Hume pipes Pvt, Ltd. (Samrutha Developers), Sankalp bagh, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	The Municipal Commissioner, Dhone Municipality, Dhone.	2017-2018	0.12272	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Deputy Executive Engineer,, (R&B) Sub division, Atmakur, Kurnool (Dt).	2017-2018	0.0413	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0059	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	HYT-SAM India (JV), CMLR Workshop Project, Kurnool.	2017-2018	0.05428	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Whitemen Constructions (P) LTD, Birla compound, Kurnool.	2017-2018	0.04484	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K.Chinnappa Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) ABC Camps Section, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School, Pulivendula, Kadapa Dist.	2017-2018	0.0118	Consultancy work only, No trainees
Sowjanya	GSB	Greenko Energy Projects Private Limited, Road No. 45, Jubilee Hills, Hyderabad.	2017-2018	0.02006	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	M/s Services International, Architects & Engineers, 45-203-A, Ashok Nagar, Venkataramana Colony Road, Kurnool.	2017-2018	0.18408	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	M/s Services International, Architects & Engineers, 45-203-A, Ashok Nagar, Venkataramana Colony Road, Kurnool.	2017-2018	0.12272	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	M/s Services International, Architects & Engineers, 45-203-A, Ashok Nagar, Venkataramana Colony Road, Kurnool.	2017-2018	0.1534	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	M/s Services International, Architects & Engineers, 45-203-A, Ashok Nagar, Venkataramana Colony Road, Kurnool.	2017-2018	0.18408	Consultancy work only, No trainees
Sowjanya	Traffic volume	M/s Sri Vishnu Constructions, D. No: 45-139, N.R. Nagar, Kurnool.	2017-2018	0.295	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

V.Giridhar	Mix Design	The Commissioner, Yemmiganur Municipality, Yemmiganur.	2017-2018	0.1593	Consultancy work only, No trainees
Dr.KVSGK Sastry	Mix Design	The Project manager(Engg), BIACL, Visakhapatnam.	2017-2018	0.1593	Consultancy work only, No trainees
Dr.J.V. Gurumurthy	Soil Testing	Deputy Executive Engineer, Public Health sub-Division, Proddatur.	2017-2018	0.177	Consultancy work only, No trainees
G.Nagesh Kumar	Mix Design	The Municipal Commissioner, Dhone Municipality, Dhone.	2017-2018	0.1593	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	compressive strength of concrete cubes	PNR Constructions, #4/8/264, Mytilayout, Near Narayana School,Pulivendula, Kadapa Dist.	2017-2018	0.0118	Consultancy work only, No trainees
V.K.Visweswara rao	Mix Design	Junior Engineer, Kurnool Central Sub Division, CPWD, Kurnool.	2017-2018	0.1593	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Sri. G.Kondala Rao Survey No 728/2, L.Dis. No. 23/72 Arora Nagar, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
Dr.E.Sanjeeva rayudu	Water Tsting	The Excute Engineer Housing (CD), Kurnool	2017-2018	0.00118	Consultancy work only, No trainees
Dr.S.Radha Krishna	Rock test	The Executive Engineer, TCL-LIS Civil Division, A.P. Transco, Kurnool.	2017-2018	0.00472	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	HYT-SAM India (JV), CMLR Workshop Project, Kurnool.	2017-2018	0.02714	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. K. Chinnapa Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) ABC Camps section, Kurnool.	2017-2018	0.09204	Consultancy work only, No trainees
Dr. J. V. Gurumurthy	Soil Testing	The Secretary & Correspondent. Sree Siridi Baba Educational Society, Flat No. 302, Santhosh Residency, Devanagar, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
Dr. J. V. Gurumurthy	Soil Testing	The Deputy Executive Engineer, Vigilance & QC RWS&S, Kurnool.	2017-2018	0.00472	Consultancy work only, No trainees
Dr. K. Chinnapa Reddy	Soil Testing	The Deputy Executive Engineer, APEWIDC Sub - Division, Adoni.	2017-2018	0.03068	Consultancy work only, No trainees
Dr. J. V. Gurumurthy	Soil Testing	The M/s Kamarthi Padmavathi Industries(P) Ltd, Yemmiganur, Kurnool Dist.	2017-2018	0.18408	Consultancy work only, No trainees
S.V.Garaa Reddy	Soil Testing	The Deputy Executive Engineer, Vigilance & QC RWS&S, Kurnool.	2017-2018	0.00472	Consultancy work only, No trainees
Dr. K. Chinnapa Reddy	Soil Testing	The Deputy Executive Engineer, RWS&S(P), Sub-Division, Dhone.	2017-2018	0.06136	Consultancy work only, No trainees
Dr. J. V. Gurumurthy	Soil Testing	The Chief Designer, MC Consultancy, MC Design House, Hyderabad.	2017-2018	0.09204	Consultancy work only, No trainees
G.Nagesh Kumar	Mix Design	The Deputy Executive Engineer, (R&B) Sub-Division, Ananthapuramu.	2017-2018	0.1062	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. K. Chinnapa Reddy	Soil Testing	The Excutive Engineer, APEWIDC, Division, Kurnool.	2017-2018	0.03068	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Yusif, ACC Limited, Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
M. Basha Mohiddin	compressive strength of concrete cubes	Mr.Ameer Ahmed, ACC Limited, Kurnool.	2017-2018	0.00531	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri shaikshavali, SJCT, Yemmiganur	2017-2018	0.024	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr Yavaneetha Reddy, AME's Dental College, Rayachur	2017-2018	0.04	Consultancy work only, No trainees
Dr. E. Venugopal Goud	CNC Machine	Dr P Sujatha, GPR Dental College, Kurnool	2017-2018	0.025	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr Sailusre Madhu, GPR Dental College, Kurnool	2017-2018	0.028	Consultancy work only, No trainees
Dr. E. Venugopal Goud	CNC Machine	Dr.P.Sujatha, GPR Dental College, Kurnool	2017-2018	0.059	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	Mr A Sandeep, SISTK, Puttur	2017-2018	0.1534	Consultancy work only, No trainees
Dr. E. Venugopal Goud	CNC Machine	Mr P Hemanth Kumar, RGM CET, Nandyal	2017-2018	0.03776	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri M.Pulla Reddy, P.V.K.K. Institute of Technology, Anantapur	2017-2018	0.05664	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Fuel Testing	C.Kishore, AITS, Rajempeta	2017-2018	0.0236	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. E. Venugopal Goud	Fuel Testing	Sri C. Vishnu vardhan Rao, AITS, Rajempeta	2017-2018	0.0472	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Vibration Test	Sri B. Shaikshavali, Anurag Group of Institutions, Hyderabad	2017-2018	0.01062	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Smt. C.H. Sushma, GPR Dental College, Kurnool	2017-2018	0.04248	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Fuel Testing	Sri S. Narendra, Vignan Lara	2017-2018	0.0354	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Ms. Fathima, AME Dental College, Raichur	2017-2018	0.0472	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Ms. Fathima, AME Dental College, Raichur	2017-2018	0.0236	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri Bikram Thapa, SVCET, Tirupati	2017-2018	0.00944	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri K. Ramesh, JNTU, Pulivendula	2017-2018	0.0236	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri S. Nagendra Babu, SSIT, B. Gangaram	2017-2018	0.0472	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri Ch. N.V. Jaswanth, PBRVITS, Kavali	2017-2018	0.1416	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri A. Salman Hyder, BITS, Kurnool	2017-2018	0.0059	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri M. Idrus Vali, GCET, Kurnool	2017-2018	0.01416	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. H. Raghavendra Rao	Composites	Sri J. Ganesh. SSIT, B. Gangavaram	2017-2018	0.03776	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri D.K. Jawad, SJJT University, Churela, Rajasthan	2017-2018	0.2124	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri D.K. Jawad, SJJT University, Churela, Rajasthan	2017-2018	0.0472	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri G. Krishna Prasad Reddy, SVIT, Anantapur	2017-2018	0.0708	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri C. Anil, GPCET, Kurnool	2017-2018	0.02124	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	Sri M.S Sameer, BITS, Kurnool	2017-2018	0.0177	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri S. Naveen, PITS College, Ongole	2017-2018	0.03304	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	G. Srinivas Kumar, SRIT, Anantapur	2017-2018	0.059	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	G. Mamatha, Osmania University, Hyderabad	2017-2018	0.1888	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	G. Mamatha, Osmania University, Hyderabad	2017-2018	0.05664	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	M. Pulla Reddy, PVKKIT, Anantapuram	2017-2018	0.00944	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	M. Mahaboob Basha, St. John's College of Engg. Yemmiganur	2017-2018	0.05664	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

				15.03129	
2018-2019					
Dr. H. Raghavendra Rao	Composites	P. Ramesh, JNTUA, Anantapur	2018-2019	0.118	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	B. RAJESH, JNTUA, Anantapur	2018-2019	0.03776	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	M. Chandra Vikas Reddy, RGM CET, Nandyal	2018-2019	0.05664	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Smt. M. Gayathri, CKS, Theja Dental College, Tirupati	2018-2019	0.0708	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri P. Ramesh , SVCET, Anantapur	2018-2019	0.03776	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	A. Prasad, RGM CET, Nandyal	2018-2019	0.01652	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	B. Ramanjaneyulu, AITS, Rajampet	2018-2019	0.0944	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	N. Jagadeesh, SVCET, Chittoor	2018-2019	0.01888	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	B. Prakash Reddy, SVCET, Chittoor	2018-2019	0.06372	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	P. Sunil Kumar, SVCET, Chittoor	2018-2019	0.10384	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	V. Sahithi, G. Pulla Reddy Dental College, Kurnool	2018-2019	0.177	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. H. Raghavendra Rao	Composites	Y. Parameswara Reddy, AITS, Rajampet	2018-2019	0.08496	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	G. Lokesh, AITS, Rajampet	2018-2019	0.02124	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Pavan Kumar Koushik, RGM CET, Nandyal	2018-2019	0.12744	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	K. Sai Krishna, MREC, Hyderabad	2018-2019	0.08496	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	A. Prasad, RGM CET, Nandyal	2018-2019	0.06844	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	D. Prathyusha, JNTUA, Ananthapuramu	2018-2019	0.03776	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	M Anivesh, PBR VITS, Kavali	2018-2019	0.07552	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	G. Madhu, JNTUA, Ananthapuramu	2018-2019	0.01416	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	S. Dhanamjayulu, SVCE, Tirupati	2018-2019	0.0531	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	T. Kumar Raju, JNTUA, Ananthapuramu	2018-2019	0.00472	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	T. Shiva Prasad, JNTU, Pulivendula	2018-2019	0.0354	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sanskriti School of Engineering, Puttaparthi	2018-2019	0.0354	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. E. Venugopal Goud	Wear Test	G. Sukumar, BITS, Kurnool	2018-2019	0.0354	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	S. Abdul Azeez, GPCET, Kurnool	2018-2019	0.02832	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. Namira, AME's Dental College, Raichur	2018-2019	0.06608	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. Namira, AME's Dental College, Raichur	2018-2019	0.09204	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	The Dy. Collector & Zonal manager, Zonal Office, Industrial park, Kurnool.	2018-2019	0.05428	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Sri Venkateswara Constructions, 2/1, Sakunala (V), Orvakal (M), Kurnool Dist.	2018-2019	0.01534	Consultancy work only, No trainees
Sowjanya	Bitumen testing	Sri Ch. Venkateshwara Rao (B.Tech), Project manager BIACL, Vishakaptanam.	2018-2019	0.02714	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Assistant Executive Engineer, PIV (PR), S/D,Pattikonda.	2018-2019	0.03068	Consultancy work only, No trainees
M. Basha Mohiddin	Compressive strength of cubes	Sri Ch. Venkateshwara Rao (B.Tech), Project manager BIACL, Vishakaptanam.	2018-2019	0.00531	Consultancy work only, No trainees
M. Basha Mohiddin	Compressive strength of cubes	Sri Ch. Venkateshwara Rao (B.Tech), Project manager BIACL, Vishakaptanam.	2018-2019	0.00531	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M. Basha Mohiddin	Compressive strength of cubes	Sri Ch. Venkateshwara Rao (B.Tech), Project manager BIACL,Vishakaptanam.	2018-2019	0.00531	Consultancy work only, No trainees
Sowjanya	Aggregate testing	M/S Ch. Veerraju & Co, 56-10-4, Vidyanagar, Rajahmundry, East Godawari Dist. -AP.	2018-2019	0.01475	Consultancy work only, No trainees
G.Nagesh Kumar	Cement Cement testing	Sri G.Gopal Reddy, S/O Govinda Reddy , Pullur(V), Gadwal (Dist).	2018-2019	0.00178	Consultancy work only, No trainees
Dr. J.V.Gurumurthy	Soil Testing	M/s Trant Constructions Pvt Ltd, D.No 81/291, Ist Floor,Rama Krishna Nagar, Kurnool.	2018-2019	0.0059	Consultancy work only, No trainees
G.Nagesh Kumar	Cement Cement testing	M/s NSL Mining Resources India Pvt Ltd , Survey No 53/A, Muddavaram(V), Bethamcherla(M), Kurnool Dist.	2018-2019	0.02124	Consultancy work only, No trainees
Sowjanya	Aggregate testing	M/S Ch. Veerraju & Co, 56-10-4, Vidyanagar, Rajahmundry, East Godawari Dist. -AP.	2018-2019	0.01475	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Smt. K.Chandrakala, W/O Sri K.Guruvaiah, D.No: 44/171, Prakash Nagar, Kurnool	2018-2019	0.03068	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	C S I Church, H.No: 1/100, S C Colony, Peddakudabur(V), Adoni (Tq), Kurnool (Dist)	2018-2019	0.06136	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K. Chinnapa Reddy	Soil Testing	M/s Skandanshi Infra Projects Ltd, Park Road, Kurnool.	2018-2019	0.1534	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	M/s BVSR Constructions Pvt. Ltd., Plot No.9, Road No. 12, Banjarahills, Hyderabad-500 034.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Greenko Energy Projects Private Limited, Road No. 45, Jubilee Hills, Hyderabad.	2018-2019	0.01534	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Sri R. Madhusudhan reddy., Survey No 460, H.No 73/10, Kullur, Kurnool- 518003.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Dy. Executive Engineer, APSIDC NDK Sub - Division, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Mr. Mohammad Riazuddin, Mr. Mohammed Ahamad Mohyddin, H.No 43-102 & 43-102A, N.R. Peta , Kurnool	2018-2019	0.0354	Consultancy work only, No trainees
Dr. T. Chandra sekhar Reddy	Steel Testing	M/s CES Consultancy, # 40-353-B, Gandhi Nagar, Kurnool.	2018-2019	0.0354	Consultancy work only, No trainees
Dr. T. Chandra sekhar Reddy	Mixdesign	The Chief General Manager(AM), Zonal Office, Industrial park, APIIC Ltd, Kurnool.	2018-2019	0.4248	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	The Deputy Executive Engineer,, Public Health,Kurnool.	2018-2019	0.02655	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V.Gararta Reddy	Soil Testing	The Deputy Executive Engineer, (R&B) Sub-Division, Kodumur.	2018-2019	0.01534	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	The Deputy Executive Engineer, A P S W C , Kurnool.	2018-2019	0.0826	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	The Assistant Executive Engineer, M.I. (W) Sub Division, Kurnool.	2018-2019	0.02242	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	The Deputy Executive Engineer,, Vigilance & QC RWS&S, Kurnool.	2018-2019	0.00531	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	The Deputy Executive Engineer,, Vigilance & QC RWS&S, Kurnool.	2018-2019	0.00944	Consultancy work only, No trainees
Sowjanya	Aggregate testing	The Assistant Executive Engineer, Construction, South central Railway, Guntakal.	2018-2019	0.0295	Consultancy work only, No trainees
Sowjanya	Aggregate testing	The Assistant Executive Engineer, Construction, South central Railway, Guntakal.	2018-2019	0.0295	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Assistant Executive Engineer (R&B), R&B Roads Section- I , Kurnool.	2018-2019	0.08378	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Mr. S.Shashavali, S/o Mr. S. Maqbool Basha, 45/24-K-26-10, Azeemuddin Nagar, Near Ayushman Hospital , Kurnool.	2018-2019	0.06136	Consultancy work only, No trainees

KURNOOL, ANDHRA PRADESH , 518007

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.B.J.S.Vara prasad	Compressive strength of cubes	Mr. Prasanth Kumar, A C C , Kurnool.	2018-2019	0.00531	Consultanc y work only, No trainees
Sowjanya	Aggregate testing	AXEN/C/GR, South central Railway, Dhone.	2018-2019	0.01475	Consultanc y work only, No trainees
M. Basha Mohiddin	Compressive strength of cubes	The Deputy Executive Engineer,, Public Health, Kurnool.	2018-2019	0.00531	Consultanc y work only, No trainees
Sowjanya	Aggregate testing	The Deputy Executive Engineer,, Vigilance & QC RWS&S, Kurnool.	2018-2019	0.06372	Consultanc y work only, No trainees
S.V.Gararta Reddy	Soil Testing	Sri. P.Srinivas Reddy, Raja Street, Owk (V&M), Kurnool (dt).	2018-2019	0.09204	Consultanc y work only, No trainees
Dr.J.V.Guru murthy	Soil Testing	SKANDHANSHI INFRA PROJETS, Kurnool.	2018-2019	0.02478	Consultanc y work only, No trainees
S.V.Gararta Reddy	Soil Testing	M/s Reliance Jio, Kusupathi Nagar , Kurnool.	2018-2019	0.00708	Consultanc y work only, No trainees
V.K. Visweswara Rao	Steel Testing	The Deputy Executive Engineer, APEWIDC Sub-Division, Kurnool.	2018-2019	0.03894	Consultanc y work only, No trainees
Dr. J.V.Gurumurht y	Soil Testing	M/s CES CONSULTANCY, 40-353-B, Gandhi Nagar , Kurnool.	2018-2019	0.03068	Consultanc y work only, No trainees
Dr.J.V.Guru murthy	Soil Testing	The Executive Officer, SBMSD Srisailam, Kurnool (Dist).	2018-2019	0.15694	Consultanc y work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	The Deputy Executive Engineer,, Public Health, Kurnool.	2018-2019	0.01593	Consultanc y work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Gurumurthy	Soil Testing	The Deputy Executive Engineer, HNSS Sub Division No.1, Kurnool.	2018-2019	0.03894	Consultancy work only, No trainees
V.K. Visweswara Rao	Mixdesign	The Executive Engineer, APMSIDC Division, Kurnool.	2018-2019	0.1593	Consultancy work only, No trainees
M.Sreenivasula Reddy	Steel Testing	The Executive Engineer, APMSIDC Division, Kurnool.	2018-2019	0.06372	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	The Deputy Executive Engineer, R&B Sub Division, Kodumur.	2018-2019	0.02714	Consultancy work only, No trainees
Sowjanya	Aggregate testing	The Assistant Executive Engineer, Construction, South central Railway, Guntakal.	2018-2019	0.059	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Sri M.Ekta Reddy, Survey No 132/2, T.P. No 330/86, Sankal Bagh , Kurnool.	2018-2019	0.0354	Consultancy work only, No trainees
K.Sudhakar Reddy	Cement Cement testing	The Executive Engineer, Construction Division, APSHCL, Kurnool.	2018-2019	0.33217	Consultancy work only, No trainees
T.Chandrasekhar Reddy	Mixdesign	The Deputy Executive Engineer, Construction Sub Division - II, A.P.TRANSCO Kurnool.	2018-2019	0.02596	Consultancy work only, No trainees
Dr.K. Chinnappa Reddy	Soil Testing	The Executive Engineer(Fac), APSSA, Kurnool (Dist).	2018-2019	0.06136	Consultancy work only, No trainees

KURNOOL, ANDHRA PRADESH , 518007

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K. Chinnapa Reddy	Soil Testing	Sri P.Partha Sarathi, Survey No 307/2, 431A & 432/2, Ganesh Nagar Near Ballari Chourasta, Kurnool.	2018-2019	0.0354	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Dr. K.Annapurna, Dr. M.Subramanya Swamy, H.No`s 49-25M & 49-26M, Maddur Nagar, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	M/s Reliance Jio, 9012 MDTR, Nargalooti, Kurnool (Dt).	2018-2019	0.00531	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	M/s Whitemen Construction Pvt Ltd, Birla Gate, Kurnool	2018-2019	0.01534	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Md Sajid, Plot No 7, Yadav Nagar, Kodumur Road, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Smt. Jogi Radha Rukmini, W/O Jogi Venkata Rami Reddy, H.No. 46-1-N-401, Sailok Enclave, Chanikyapuri colony,Kurnool.	2018-2019	0.12272	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Sri Ramadas Motor transport Limited, D.No.20-1-8, Subash Road, Post Box No. 42, Kakinada.	2018-2019	0.12272	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Dr. K.Annapurna, Dr. M.Subramanya Swamy, H.No`s 49-25M & 49-26M, Maddurnagar, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K. Chinnapa Reddy	Soil Testing	The Deputy Zonal Manger, Industrial Park, APIIC Ltd , Kurnool	2018-2019	0.20768	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	The Deputy Executive Engineer, APEWIDC Sub-division, Kurnool.	2018-2019	0.0708	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Smt. S.Nirmala Ratna Kumari, W/o S.Puspa Raju, Syndicate Bank Colony, B- Camp, Kurnool	2018-2019	0.01062	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	M/s Reliance Jio, Kusupathi Nagar , Kurnool.	2018-2019	0.01416	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Registrar, Rayalaseema University, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
K.Sudhakar Reddy	Cement Cement testing	HYT-SAM India (JV), Kurnool.	2018-2019	0.04012	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Chuchu Chunna Devudu Ministries, Regd. No. 463-2010 Beyeru Prarthana Mandiram, Plot No. 38, Dhana Reddy Nagar, Kallur Estate, Kurnool.	2018-2019	0.0472	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	M/s Reliance Jio, 9012 MDTR, 9013VGOD, Nagalooti, Kurnool (Dist).	2018-2019	0.02124	Consultancy work only, No trainees
M.Sreenivasula Reddy	Mixdesign	Sr. Manager (Tech.), Engineering Projects (India) LTD, Anantapur.	2018-2019	0.1593	Consultancy work only, No trainees

KURNOOL, ANDHRA PRADESH , 518007

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M.Basha Mohiddin	Compressive strength of cubes	INDUS Montessori School, Pandipadu (V), Kurnool (Dist).	2018-2019	0.00531	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Assistant Executive Engineer, (R&B), Section, Peapully.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	M/s Reliance Jio, 9012 MDTR, 9013VGOD, Nagalooti, Kurnool (Dist).	2018-2019	0.01416	Consultancy work only, No trainees
Sowjanya	Aggregate testing	AXEN/C/GR, South central Railway, Dhone.	2018-2019	0.01475	Consultancy work only, No trainees
Dr.J.V.Guru murthy	Soil Testing	The Chief Designer, MC Consultancy, MC Design House, Hyderabad.	2018-2019	0.18644	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Sri P.Hari Prasad Reddy, Correspondent, Sri Hari Agricultural Polytechnic College, Pasupala (V), Kurnool (Dist).	2018-2019	0.06136	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Smt K.Jayalakshmi, Madhava Nagar Engineers Co Operative Colony, Kurnool.	2018-2019	0.06136	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	M/s Reliance Jio, Kusupathi Nagar , Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Deputy Executive Engineer, APEWIDC Sub - Division, Adoni.	2018-2019	0.03068	Consultancy work only, No trainees
K.Sudhakar Reddy	Compressive strength of cubes	Mr. Anand, ACC Limited , Nandyal.	2018-2019	0.00531	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

K.Sudhakar Reddy	Compressive strength of cubes	Mr. Ibrahim, ACC Limited , Kurnool.	2018-2019	0.00531	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2018-2019	0.09204	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Asst. Exe. Engineer (Civil), Srisailem Right Bank Power House, Srisailem Project, Kurnool(Dist).	2018-2019	0.0649	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2018-2019	0.06136	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Adani Wilmar Ltd, Mantralayam, Kurnool Dist.	2018-2019	0.02714	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Engineering Projects (India) Ltd , Plot No 50, Phase - 3, Ist Floor, Opp. Union Bank of India, Kamalapuri colony, Hyderabad.	2018-2019	0.02006	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	The Assistant Engineer, (R&B) Section, Gonegandla.	2018-2019	0.02242	Consultancy work only, No trainees
Sowjanya	Aggregate testing	V.Chandra Sekhar Reddy, Research student, JNTUA, Ananthapuramu.	2018-2019	0.03658	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Gurumurthy	Soil Testing	Dr. D. Naga Prakash, S/o Late D. Satyam, Smt T. Rama Devi W/o Dr. D. Naga Prakash, H.No 77/189-F6, Venkatachalapathi Nagar, Kallur Estate, Kurnool.	2018-2019	0.09204	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	M/s Greenco , Ghani (V), Orvakal(M), Kurnool (Dist).	2018-2019	0.00236	Consultancy work only, No trainees
Dr.K. Chinnappa Reddy	Soil Testing	Ashok Kumar Bandari, Kundan Mal Bandari, D.No 40-319-4, R S Road, Kurnool.	2018-2019	0.1062	Consultancy work only, No trainees
G.Nagesh Kumar	Mixdesign	The Deputy Engineer, APEWIDC Sub - Division, Kurnool.	2018-2019	0.38527	Consultancy work only, No trainees
Dr.M.Sreenivasula Reddy	Structural design	M/s Udayananda Health Care Pvt. Ltd. Sy.No. 350/1, Noonepalli (V), Nandyal (M), Kurnool (Dist).	2018-2019	1.77472	Consultancy work only, No trainees
G.Nagesh Kumar	Cement Cement testing	P.R.Infra, 40-447-19/B, Gypson colony, Kurnool.	2018-2019	0.02655	Consultancy work only, No trainees
G.Nagesh Kumar	Mixdesign	The Executive Engineer - II, Kurnool Municipal Corporation, Kurnool.	2018-2019	0.1593	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.01416	Consultancy work only, No trainees
Sowjanya	WBM & GSB Test	The Assistant Executive Engineer, PIU Sub - Division (PR), Pathikonda, Kurnool Dist.	2018-2019	0.18054	Consultancy work only, No trainees

KURNOOL, ANDHRA PRADESH , 518007

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Gurumurthy	Soil Testing	Sri T.Venkatasivaiah, Smt. T. Rama, H.No 40-811-1, Srinivasanagar, Opp. BSNL Office, Kurnool.	2018-2019	0.059	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kallur.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Mr. Sahid Eijaz, ACC Limited, Kurnool.	2018-2019	0.00531	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Deputy Executive Engineer, A.P State Police Housing Corporation, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Deputy Executive Engineer, TLC-LIS / Civil Sub Division, A.P. TRANSCO, Kurnool.	2018-2019	0.00531	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	M/s Reliance Jio, Kusupathi Nagar , Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	M/s Reliance Jio, Kusupathi Nagar , Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M.Basha Mohiddin	Compressive strength of cubes	Deputy Executive Engineer, TLC-LIS / Civil Sub Division, A.P. TRANSCO, Kurnool.	2018-2019	0.00531	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	M/s Trisha Infracom Projects Pvt Ltd, Kondair, Itikyala (M), Gadwal (Dist).Telangana.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.01416	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	M/s Reliance Jio, Kusupathi Nagar , Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	M/s Reliance Jio, Kusupathi Nagar , Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	M/s Reliance Jio, Kusupathi Nagar , Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	S. Shair Khan, Narnoor (village), Kurnool (Dt).	2018-2019	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Vijayawada,	2018-2019	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

K.Sudhakar Reddy	Compressive strength of cubes	Deputy Executive Engineer, Vigilance & QC RWS&S, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) Section - II, Kurnool.	2018-2019	0.0413	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Dy Executive Engineer, (R&B) Sub - Division, Kodumur.	2018-2019	0.01416	Consultancy work only, No trainees
K.Sudhakar Reddy	Compressive strength of cubes	Mahindra & Mahindra Ltd, Vijayawada	2018-2019	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Vijayawada	2018-2019	0.00708	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool,	2018-2019	0.00708	Consultancy work only, No trainees
K.Sudhakar Reddy	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool,	2018-2019	0.00708	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	The Deputy Executive Engineer, (R&B) Sub-Division, Yemmiganur, Kurnool District.	2018-2019	0.0413	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Smt. G.VijayaLakshmi, W/o Late G.Sai Prasad, H.No 46-56 B, Budhawarpet, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M.Basha Mohiddin	Compressive strength of cubes	The Deputy Executive Engineer, Construction Division, A.P, State Housing Corporation, Kurnool.	2018-2019	0.01062	Consultancy work only, No trainees
K.Sudhakar Reddy	Compressive strength of cubes	Mahindra & Mahindra Ltd, Nandyal,	2018-2019	0.00708	Consultancy work only, No trainees
K.Sudhakar Reddy	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Compressive strength of cubes	The Manager (QC) , Skandhanshi Infra Projects India Pvt Ltd, Kurnool.	2018-2019	0.01416	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	S. Shair Khan, Narnoor (village), Kurnool (Dt).	2018-2019	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
K.Sudhakar Reddy	Compressive strength of cubes	M/s Trisha infracom projects Pvt. Ltd, Kondair, Itikyala (M), Gadwal (Dt.), Telangana.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.M.Sreenivasula Reddy	Structural design	The Superintending Engineer (I/c). Panchayati Raj Circle, Kurnool.	2018-2019	0.499966	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Mr. Ishaq , ACC Limited, Kurnool.	2018-2019	0.00118	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

G.Nagesh Kumar	Compressive strength of cubes	Sri Kaleswara Rao, Chunduri Builders, Kurnool	2018-2019	0.00531	Consultancy work only, No trainees
V.K.Viswswara Rao	Mixdesign	The Executive Engineer, APMSIDC Division, Kurnool.	2018-2019	0.3186	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Sri A.V. Siva Reddy, Prem Nagar, Near Rajiv Gandhi Park, Venkata Ramana Colony, Kurnool.	2018-2019	0.059	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	M/s Srichakra Agritech , Survey No. 111/A1A, Bollavaram, Nandikotur (M), Kurnool (Dist).	2018-2019	0.01829	Consultancy work only, No trainees
G.Nagesh Kumar	Cement Cement testing	M/s Ashtech (India) Pvt. Limited, Shakthinagar,Raichur.	2018-2019	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool,	2018-2019	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool,	2018-2019	0.00708	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	S. Ameena Bee, W/o Sri. S.Mahaboob Basha, Plot No. 73, Telecom Nagar, Kurnool (Dt).	2018-2019	0.03068	Consultancy work only, No trainees
Dr. K.V.S.G.k.Sastri	Mixdesign	The Deputy Executive Engineer, APEWIDC Sub-Division, Kurnool	2018-2019	0.37701	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	M/s Raaga Mayuri Builders, Mayuri pride, Nirmal Nagar, Near Bellary Chowrasta, Kurnool.	2018-2019	0.00826	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K. Chinnapa Reddy	Soil Testing	Assistant Engineer, (R&B) Section, Pattikonda.	2018-2019	0.06136	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool,	2018-2019	0.00708	Consultancy work only, No trainees
Dr.J.V.Guru murthy	Soil Testing	M.Varalakshmi, Plot No. 28, Survey No. 666 , 667 C, Seshadri Nagar, Near Nandyal Check Post, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Impact Floors India Pvt Limited , Walmart Construction, Kurnool.	2018-2019	0.01534	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Arrow constructions , Punjagutta, Hyderabad.	2018-2019	0.01534	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Nova design Build, Hyderabad.	2018-2019	0.02006	Consultancy work only, No trainees
Dr.J.V.Guru murthy	Soil Testing	J. S Builders & Developers, Opp. Canara Bank, Near Nandyal Check Post, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr. K.V.S.G.k.Sas try	Steel Testing	The Assiatant Executive Engineer (R&B), R&B Roads Section-I, Kurnool.	2018-2019	0.07788	Consultancy work only, No trainees
Dr.J.V.Guru murthy	Soil Testing	The Assistant Executive Engineer, (R&B) Section, Bethamcherla, Kurnool District	2018-2019	0.0413	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	The Deputy Executive Engineer, (R&B) Sub-Division, Yemmiganur, Kurnool District	2018-2019	0.0413	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

K.Sudhakar Reddy	Compressive strength of cubes	M/s Trisha infracan projects Pvt. Ltd, Kondair, Itikyala (M), Gadwal (Dt.), Telangana.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Exzecutive Engineer, (Civil) APSPCL, Kurnool	2018-2019	0.01357	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Dr. Janaki Ram, H.No. 43-262-A, Kothapeta, Kurnool.	2018-2019	0.00236	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Zonal Manager (Engg), Industrial park, Kurnool.	2018-2019	0.0413	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	The Manager, Skanda Infra Projects Pvt Ltd, Kurnool.	2018-2019	0.02832	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	M/s Trisha infracan projects Pvt. Ltd, Kondair, Itikyala (M), Gadwal (Dt.), Telangana.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.J.V.Guru murthy	Water Testing	The Executive Engineer (FAC), APSSA,Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	The Manager, Skanda Infra Projects Pvt Ltd, Kurnool.	2018-2019	0.01416	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Agrisol India Pvt. Ltd, Dhone, Kurnool Dist.	2018-2019	0.01593	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Executive Engineer, APSSA, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	The Manager, Skanda Infra Projects Pvt Ltd, Kurnool.	2018-2019	0.01416	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K. Chinnapa Reddy	Soil Testing	The Assistant Engineer, (R&B) Section, Pattikonda.	2018-2019	0.06136	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	N.Sujatha, Plot No 74, Venus Colony, Venkata Ramana Colony, Kurnool.	2018-2019	0.0354	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	ECI-SEEIPL JV, Dhane to Pendikallu Section, Via Railway Station.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	M/s Trisha Infracore projects Pvt. Ltd, Kondair, Itikyala (M), Gadwal (Dt.), Telangana.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	The Manager, Skandhanshi Infra Projects Pvt Ltd, Kurnool.	2018-2019	0.02006	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Assistant Engineer, A.P.E.W.I.D.C, Adony Section, Kurnool.	2018-2019	0.03068	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	The Manager, Skandhanshi Infra Projects Pvt Ltd, Kurnool.	2018-2019	0.00472	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	The Manager, Skandhanshi Infra Projects Pvt Ltd, Kurnool.	2018-2019	0.02006	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Sowjanya	Bitumen testing	Greenko Energy Projects Private Limited Jubilee Hills, Hyderabad, Telangana-500033.	2018-2019	0.03186	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Udayanada Health care Pvt. Ltd, Nandyal.	2018-2019	0.12272	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	AKR Construction Limited, Rollapadu Main camp, Kurnool dist.	2018-2019	0.20178	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	The District Command control Center, Kurnool - 518 001.	2018-2019	0.02124	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	O.Chandrika Rani, W/O. O.Vijaya Kumar Reddy, H.NO. 45-24,D-17, Ashok Nagar, Kurnool.	2018-2019	0.06136	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	M/s Trisha Infracon projects Pvt. Ltd, Kondair, Itikyala (M), Gadwal (Dt.), Telangana.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Sri Amma Bhagavan Dhyana Mandir, Survry No. 318, Panchalingala (Vill), Kurnool (M & Dist).	2018-2019	0.06136	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	Y.Narsi Reddy, Flat No.102, Neha Towers, A-Camp, Kurnool(M & Dist).	2018-2019	0.03068	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	The Deputy Executive Engineer, Construction Division, A.P State Housing Corporation, Kurnool.	2018-2019	0.01416	Consultancy work only, No trainees
G.Nagesh Kumar	Mixdesign	Dy. Executive Engineer, APEWIDC Sub- Division, Kurnool.	2018-2019	0.33335	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.M.Sreenivasula Reddy	Designs	The Executive Engineer, APEWIDC Division, Kurnool.	2018-2019	0.2832	Consultancy work only, No trainees
Dr.M.Sreenivasula Reddy	Designs	The Executive Engineer, APEWIDC Division, Kurnool.	2018-2019	0.236	Consultancy work only, No trainees
Dr.T.Chandrasekhar Reddy	Cement Cement testing	Dy. Executive Engineer, MIW Sub- Division, Adoni, Kurnool.	2018-2019	0.06136	Consultancy work only, No trainees
V.K.Viswasa Rao	Mixdesign	The Deputy Executive Engineer, APMSIDC Division, Kurnool.	2018-2019	0.1593	Consultancy work only, No trainees
Dr.J.V.Gurumurthy	Soil Testing	The Assistant Executive Engineer, (R&B), Town Section, Kurnool.	2018-2019	0.06608	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	Dy. Executive Engineer, MIW Sub- Division, Adoni, Kurnool.	2018-2019	0.07198	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Secretary, Vaibhav Educational Society, H.No 8-10-54/2, Srinivasa Nagar, Allagadda, Kurnool Dist.	2018-2019	0.06136	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
S.V.Gararta Reddy	Soil Testing	The Deputy Executive Engineer, R & B Sub - Division, Yemmiganur, Kurnool Dist	2018-2019	0.0413	Consultancy work only, No trainees
Dr.T.Chandrasekhar Reddy	Steel Testing	Dy. Executive Engineer, APSIDC NDK Sub-Division, Kurnool	2018-2019	0.0708	Consultancy work only, No trainees

KURNOOL, ANDHRA PRADESH , 518007

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.M.Sreenivasula Reddy	Mixdesign	Dy. Executive Engineer, APEWIDC Sub- Division, Kurnool.	2018-2019	0.26019	Consultancy work only, No trainees
Dr.K. Chinnappa Reddy	Soil Testing	Anoop.SC, H.NO : 44/16/44A,Sunkesula Road, Sister Stanislas School, Kurnool-518004.	2018-2019	0.1416	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Dr. Ekta Reddy, W/o Dr. Janakiram Reddy, Survey No 132/2, N.R. Pet, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
Dr.K. Chinnappa Reddy	Soil Testing	The Executive Engineer, R & B) Division, Adoni, Kurnool Dist.	2018-2019	0.0413	Consultancy work only, No trainees
Dr.K. Chinnappa Reddy	Soil Testing	The Executive Engineer, R & B) Division, Adoni, Kurnool Dist.	2018-2019	0.0413	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Sri B.C. Nagaraju , plot No. 50, Survey No. 750 A-1A2D-2, Old MRO Office road, Krishna Nagar, Kurnool.	2018-2019	0.01534	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	The Deputy Executive Engineer, APEWIDC Sub-Division, Kurnool.	2018-2019	0.0177	Consultancy work only, No trainees
Dr.K. Chinnappa Reddy	Soil Testing	Sri. P.Muni Swamy, ASK Associate's, Thippan Gowd Complex, Yemmiganur, Kurnool District.	2018-2019	0.06136	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mr. Sessaiah, ACC Limited, Kurnool.	2018-2019	0.00531	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Gurumurthy	Soil Testing	The Manager (QC), Skandhashi Infra projects India Pvt Ltd, Near Amelia Hospital (kodumur Road), Kurnool.	2018-2019	0.06136	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Sri Ramesh Babu,H.No 81-158-H-4-3, Adithya nagar,Kurnool.	2018-2019	0.00236	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	The Asst. Engineer, PHMED,Kurnool,	2018-2019	0.01416	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	The Deputy Executive Engineer,Public Health,Kurnool,	2018-2019	0.02124	Consultancy work only, No trainees
Dr.T.Chandrasekhar Reddy	Mixdesign	Sri Raja Rajeswari, Cement concrete LLP,Kurnool.	2018-2019	0.3186	Consultancy work only, No trainees
Dr.KVSGK Sastry	Steel Testing	M/s M.G. Brothers, Plot No 9, Shankaras Degree College Complex, Gayatri Estates,Kurnool.	2018-2019	0.029972	Consultancy work only, No trainees
Dr.T.Chandrasekhar Reddy	Steel Testing	M/s Whitemen construction company Pvt.Ltd. C/o Wallmart, Birla Gate, Kurnool.	2018-2019	0.0354	Consultancy work only, No trainees
Dr.KVSGK Sastry	Steel Testing	Deputy Executive Engineer, APEWIDC Sub- division,Kurnool	2018-2019	0.06372	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool,	2018-2019	0.00708	Consultancy work only, No trainees
G.Nagesh Kumar	Cement Cement testing	ACC Ltd, Kurnool.	2018-2019	0.059	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.E.Sanjeeva Rayudu	Water Testing	Mr. Sadiq, C/o ACC Ltd, Adoni, Kurnool (Dist).	2018-2019	0.00236	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	The Deputy Executive Engineer,Public Health,Kurnool.	2018-2019	0.02124	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool,	2018-2019	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	The Deputy Executive Engineer,Public Health,Kurnool.	2018-2019	0.02124	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive strength of cubes	The Deputy Executive Engineer,Public Health,Kurnool.	2018-2019	0.01416	Consultancy work only, No trainees
Dr.J.V.Guru murthy	Soil Testing	Mrs,S.Rajaratnam,S/o S.Nataniel, Akumalla, Koilakuntla,Kurnool (Dist).	2018-2019	0.0472	Consultancy work only, No trainees
Dr.B.J.S.Vara prasad	Compressive strength of cubes	Mahindra & Mahindra Ltd, Kurnool.	2018-2019	0.00708	Consultancy work only, No trainees
				14.817978	
2019-2020					
Dr. M.Srinivasula Reddy	Steel Design	Sri R. Krishna Mohan, Kurnool Municipal Corporation, Licensed Structural Engineer, ROC No. 5733/2012/G1,Kurnool.	2019-2020	0.354	Consultancy work only, No trainees
Dr. B.J.s.vara prasad	Compressive strength of Cubes	The Deputy Executive Engineer, Public Health Sub Division, Kurnool,	2019-2020	0.01416	Consultancy work only, No trainees
M. Basha Mohiddin	Compressive strength of Cubes	Mahindra & Mahindra Ltd, Kurnool.	2019-2020	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M. Basha Mohiddin	Compressive strength of Cubes	Mahindra & Mahindra Ltd, Kurnool.	2019-2020	0.00708	Consultancy work only, No trainees
G. Nagesh Kumar	Cement Testing	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.03422	Consultancy work only, No trainees
Dr. M.Sreenivasula Reddy	Compressive strength of Cubes	Mahindra & Mahindra Ltd, Kurnool.	2019-2020	0.00708	Consultancy work only, No trainees
Dr. M.Sreenivasula Reddy	Compressive strength of Cubes	Azure Power India Pvt Ltd, Plot No - 12, Gani (v), Gadivemula (M), Kurnool (Dist).A.P-518010.	2019-2020	0.0531	Consultancy work only, No trainees
Dr. B.J.s.vara prasad	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.02124	Consultancy work only, No trainees
M. Basha Mohiddin	Compressive strength of Cubes	M/s Trisha Infracon Projects (P), Ltd, Kondair, Itilyala (M), Gadwal (Dist), Telangana.	2019-2020	0.00708	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Assistant Executive Engineer, R&B Section, Alur.	2019-2020	0.05192	Consultancy work only, No trainees
sowjanya	SDBC test	s Trisha Infracon Projects (P), Ltd, Kondair, Itilyala (M), Gadwal (Dist), Telangana.	2019-2020	0.02183	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M. Basha Mohiddin	Compressive strength of Cubes	The Executive Engineer, Technical Circle Office, APSPDCL, Kurnool.	2019-2020	0.01062	Consultancy work only, No trainees
S.V. Garata Reddy	Soil Testing	The Deputy Executive Engineer, S.I Sub-Division, Dhone	2019-2020	0.0236	Consultancy work only, No trainees
Dr. E.Sanjeeva Rayudu	Water testing	Sri. M.Srinivasulu, 9, Sankara's Degree College, Gayatri Estate, Kurnool	2019-2020	0.01534	Consultancy work only, No trainees
S.V. Garata Reddy	Soil Testing	The manager (QC), Skandhanshi Infra Projects India Pvt ltd, Kurnool.	2019-2020	0.03068	Consultancy work only, No trainees
S.V. Garata Reddy	Soil Testing	Dy. Executive Engineer, APEWIDC Sub - Division, Adoni.	2019-2020	0.03068	Consultancy work only, No trainees
Dr. J. V. Guru Murthy	Soil Testing	Vedantha & Science Educational Research Foundation, Beside A.V Warehouse, Opp SMR pipes, Kadapa Road, Allagadda, Kurnool Dist.	2019-2020	0.12272	Consultancy work only, No trainees
Dr. K.Chinnapa Reddy	Soil Testing	The Assistant Executive Engineer, R&B Section-I, Kurnool.	2019-2020	0.0413	Consultancy work only, No trainees
Dr. J. V. Guru Murthy	Soil Testing	Assistant Engineer, (R&B) Section, Pattikonda, Kurnool Dist.	2019-2020	0.06136	Consultancy work only, No trainees
Dr. J. V. Guru Murthy	Soil Testing	Montessori Educational society, Montessori High school, Alampur	2019-2020	0.0944	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M. Chandraiah	Soil Testing	The Deputy Executive Engineer, APSIDC Nandikotkur Sub Division, Kurnool.	2019-2020	0.0944	Consultancy work only, No trainees
M. Chandraiah	Compressive strength of Cubes	The Deputy Executive Engineer, GDP Sub Division, Dam Site, Gajuladinne, Kurnool Dist.	2019-2020	0.00531	Consultancy work only, No trainees
M. Chandraiah	Compressive strength of Cubes	Mr. Ramana Rao, ACC Limited, N.R.Peta, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
M. Chandraiah	Compressive strength of Cubes	Mahindra & Mahindra Ltd, Kurnool.	2019-2020	0.00708	Consultancy work only, No trainees
Dr. J. V. Guru Murthy	Soil Testing	The Assistant Executive Engineer, R&B Section, Alur.	2019-2020	0.02832	Consultancy work only, No trainees
Dr. J. V. Guru Murthy	Soil Testing	The Assistant Executive Engineer, R&B Section, Alur.	2019-2020	0.0413	Consultancy work only, No trainees
M.Chandraiah	Compressive strength of Cubes	Mr. Nagesh Babu, ACC Limited, Krishnanagar, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
M.Chandraiah	Compressive strength of Cubes	G.Venkatesh, Rajashri Construction Company, Hyderabad	2019-2020	0.00708	Consultancy work only, No trainees
M.Chandraiah	Compressive strength of Cubes	St. Joseph's Educational society, Kurnool	2019-2020	0.13452	Consultancy work only, No trainees
S.V. Garata Reddy	Soil Testing	The Assistant Executive Engineer, R&B Section-I, Kurnool	2019-2020	0.02242	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V. Garata Reddy	Compressive strength of Cubes	Deputy Executive Engineer, TBP Sub-Division, Yemmiganur, Kurnool.	2019-2020	0.0354	Consultancy work only, No trainees
M.Sreenivasula Reddy	Mix Design	The Deputy Executive Engineer, APMSIDC Division, Kurnool.	2019-2020	0.2478	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Assistant Engineer, (R&B) Section, Pattikonda, Kurnool Dist.	2019-2020	0.06136	Consultancy work only, No trainees
S.V. Garata Reddy	Compressive strength of Cubes	Mahindra & Mahindra Ltd, Kurnool.	2019-2020	0.00708	Consultancy work only, No trainees
S.V. Garata Reddy	Compressive strength of Cubes	Rajashri Construction Company, Hyderabad.	2019-2020	0.00708	Consultancy work only, No trainees
S.V. Garata Reddy	Compressive strength of Cubes	Mr. Nagaraju, ACC, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
S.V. Garata Reddy	Compressive strength of Cubes	Mr. Suresh, ACC, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
G. Nagesh Kumar	Mix Design	Chief Construction Engineer, (R&D) South, Akbar Road, PB No 1569, Secunderabad	2019-2020	0.1593	Consultancy work only, No trainees
G. Nagesh Kumar	Cement Testing	Chief Construction Engineer, (R&D) South, Akbar Road, PB No 1569, Secunderabad	2019-2020	0.1593	Consultancy work only, No trainees
G. Nagesh Kumar	Clay Bricks Testing	Chief Construction Engineer, (R&D) South, Akbar Road, PB No 1569, Secunderabad	2019-2020	0.1593	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. E.Sanjeeva Rayudu	Water testing	Chief Construction Engineer, (R&D) South, Akbar Road, PB No 1569, Secunderabad	2019-2020	0.1593	Consultancy work only, No trainees
V.K. Visweswara rao	Cement Testing	M/S Aashman Energy Pvt Ltd, Gani (V), Orvakal (M), Kurnool (Dist).	2019-2020	0.03422	Consultancy work only, No trainees
M.Sreenivasula Reddy	Mix Design	Executive Engineer, Panchayat Raj Division, Nandyal.	2019-2020	0.1652	Consultancy work only, No trainees
sowjanya	Traffic volume	1)PVN Seshu Babu 2) P.Balaji Mahendranath Door No. 40/808 -F-8, Srinivasa Nagar, Kurnool.	2019-2020	0.3953	Consultancy work only, No trainees
G. Nagesh Kumar	Cores	Deputy Executive Engineer, Quality control Sub Division Water Resources Departement, Kurnool.	2019-2020	0.03717	Consultancy work only, No trainees
Sowjanya	Soil Testing	Dy. Zonal Manager (E), APIIC LTD, Kurnool.	2019-2020	0.07788	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri M. Govindu, House No. 50-760-6C, Birlagadda, Kallur (M), Kurnool - 518 002	2019-2020	0.0118	Consultancy work only, No trainees
V.K. Visweswara rao	Mix Design	BAMSM Constructions, Kurnool.	2019-2020	0.1593	Consultancy work only, No trainees
M. Basha Mohiddin	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.02124	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M. Basha Mohiddin	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.01416	Consultancy work only, No trainees
M. Basha Mohiddin	Compressive strength of Cubes	Rajashri constructions, Hyderabad.	2019-2020	0.00531	Consultancy work only, No trainees
Dr. B.J.s.vara prasad	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.01416	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Uppara Lakshmi Narayana & Uppara Sarada, Dhona, Kurnool Dist.	2019-2020	0.03068	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Assistant Executive Engineer, R&B Section-I, Kurnool.	2019-2020	0.02242	Consultancy work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Samhita Infrastructures D.No 51/14/68/D4, Challavari Street, Yasoda Hospital lane, Kurnool, (A.P)	2019-2020	0.00708	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	S.Ismail S/o S. Hussainalam, Sy.no. 309/1, Gonegandla (V& M), Kurnool (Dist).	2019-2020	0.09204	Consultancy work only, No trainees
Dr. KVSGK. Sastry	Steel	Deputy Executive Engineer, APMSIDC division, Kurnool.	2019-2020	0.1062	Consultancy work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Samhita Infrastructures D.No 51/14/68/D4, Challavari Street, Yasoda Hospital lane, Kurnool, (A.P)	2019-2020	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V. Garata Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) Section-I, Kurnool.	2019-2020	0.0413	Consultancy work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Rajashri constructions, Hyderabad.	2019-2020	0.00531	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Sri K. LakshmiKantha Reddy S/O K.Linga Reddy, H.No. 7-9-5, Nehrunagar, Dhone, Kurnool Dist.	2019-2020	0.06136	Consultancy work only, No trainees
M.Bashamohiddin	Soil Testing	Sri K. LakshmiKantha Reddy S/O K.Linga Reddy, H.No. 7-9-5, Nehrunagar, Dhone, Kurnool Dist.	2019-2020	0.06136	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Mr. Venu Gopal, ACC Limited, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	ACC Limited, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Sri. P.Prabhakar Reddy, Contractor, Venkataramana Colony, Kurnool.	2019-2020	0.03186	Consultancy work only, No trainees
sowjanya	Compressive strength of Cubes	Samhita Infrastructures D.No 51/14/68/D4, Challavari Street, Yasoda Hospital lane, Kurnool, (A.P)	2019-2020	0.00708	Consultancy work only, No trainees
Dr.Bjs varaprasad	Sand & Aggregate	M/S Laxmi Narasimha works & sevicees, #3-83, OC Colony, GANI (V), Gadivemula Mandal Kurnool Dist.	2019-2020	0.09204	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.M.Sreenivasula reddy	Compressive strength of Cubes	M. Narasimha S/o M. Devadasu, Near Nandyal Check Post, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
Dr. B.J.s.vara prasad	Structural Stability Check	Sri Chakra Agritech, Sy.No. 111/A1A, Bollavaram (V), Nandikotkur (M), Kurnool (Dist).	2019-2020	0.118	Consultancy work only, No trainees
Dr. B.J.s.vara prasad	Compressive strength of Cubes	Samhita Infrastructures D.No 51/14/68/D4, Challavari Street, Yasoda Hospital lane, Kurnool, (A.P)	2019-2020	0.00708	Consultancy work only, No trainees
Dr.K. Chinnappa Reddy	Compressive strength of Cubes	Mr. Narasimhulu, ACC Limited, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
Dr.Bjs varaprasad	Soil Testing	M/S S.V.N Infra (Sai Power Constructions), G G H, Kurnool.	2019-2020	0.09204	Consultancy work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.01416	Consultancy work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Samhita Infrastructures D.No 51/14/68/D4, Challavari Street, Yasoda Hospital lane, Kurnool, (A.P)	2019-2020	0.00708	Consultancy work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.02124	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.Bjs varaprasad	Compressive strength of Cubes	Rajashri Construction Company, Plot No. 38, New City Colony, Bapujinagar, New Bowenpally, Secenderabad.	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.00708	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Rajashri constructions, Plot No. 38, Bapuji Nagar Secunderabad for Relience Jio Towers, Kurnool.	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.Bjs varaprasad	Soil Testing	Dr. B. Prameela, Dr. C.Sreenivasa Reddy, 50-760A85-9,Sree Aswni hospital, Gayatri Estate,Kurnool	2019-2020	0.21476	Consultanc y work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Samhitha Infra Structures, D. No. 51/14/68/D4 Challa wari street, Yashoda hospital lane,Kurnool-AP	2019-2020	0.00708	Consultanc y work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M. Basha Mohiddin	Compressive strength of Cubes	Rajashri Construction Company, Plot No. 38, New City Colony, Bapujinagar, New Bowenpally, Secenderabad.	2019-2020	0.00708	Consultancy work only, No trainees
Dr. E.Sanjeeva Rayudu	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.01416	Consultancy work only, No trainees
Dr. E.Sanjeeva Rayudu	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.01416	Consultancy work only, No trainees
Dr. E.Sanjeeva Rayudu	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.01416	Consultancy work only, No trainees
Dr. E.Sanjeeva Rayudu	Compressive strength of Cubes	Rajashri constructions, Plot No. 38, Bapuji Nagar Secunderabad for Reliance Jio Towers,Kurnool	2019-2020	0.00708	Consultancy work only, No trainees
sowjanya	Bitumen Extraction	Dy. Zonal Manager (E), APIIC Ltd., Kurnool.	2019-2020	0.0177	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Ayyappa Infra projects Pvt. Ltd, 6-3-907/1, Flat No 201, S.S. Nivas, T.L. Kapadia Lane, Somajiguda, Hyderabad.	2019-2020	0.00708	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Sri. P.Prabhakar Reddy, Contractor, Venkataramana Colony, Kurnool.	2019-2020	0.0531	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K. Chinnapa Reddy	Soil Testing	The Deputy Executive Engineer, (R&B) Sub division, Yemmiganur.	2019-2020	0.0413	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Smt. Golkonda Mehraj Begum, H. No: 56/68, Khanderi street, Kurnool	2019-2020	0.03068	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultancy work only, No trainees
G. Nagesh Kumar	Clay Bricks Testing	Tel Towers Private Limitd, 3-91, Reddypalem, Guntur, Andhra Pradesh.	2019-2020	0.01416	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. M.V.V Prasad, H. No: 89/2-20-2, Srinivasa Nagar, StantanPuram, Kurnool	2019-2020	0.06136	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Mr. Shaik Chand Basha, Singarayakonda, Prakasham Dist.	2019-2020	0.09204	Consultancy work only, No trainees
N.Sarat Chandra Reddy	Soil Testing	Deputy Executive Engineer, Vigilance & QC RWS&S, Kurnool.	2019-2020	0.03894	Consultancy work only, No trainees
S.V. Garata Reddy	Soil Testing	Assistant Executive Engineer, (R&B) Buildings Town Section, Kurnool.	2019-2020	0.03068	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Rajashri constructions, Plot No. 38, Bapuji Nagar Secunderabad for Relience Jio Towers, Kurnool	2019-2020	0.01416	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Civil Department, SRHH Ltd. Gondiparla.	2019-2020	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.Bjs varaprasad	Compressive strength of Cubes	Executive Engineer, APSSA, Kurnool.	2019-2020	0.00531	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Civil Department, SRHH Ltd. Gondiparla.	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.E.Sanjeeva Rayudu	Water testing	Quick Builders, Engineers & Contractors" Shah House, Plot No. 142, 4th floor, S.V Road, Khar(W) Mumbai-400052	2019-2020	0.0059	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	The Deputy Executive Engineer, Vigilance & QC RWS&S, Kurnool.	2019-2020	0.07788	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Dr. Chaitanya, H.No. 43/115, Prakash Nagar, Kurnool.	2019-2020	0.00531	Consultanc y work only, No trainees
Dr. J. V. Guru Murthy	Soil Testing	S.Khaja Malik s/o S.A. Rabbani, S. Khaja Ali s/o S.A. Rabbani, Plot no.81, Survey No. 725, Gafooriya Nagar, Near Amma Hospital, Kallur(M), Kurnool.	2019-2020	0.03068	Consultanc y work only, No trainees
Dr. J. V. Guru Murthy	Soil Testing	The Superintendent of Post Offices, Postal Superintendent offices, Kurnool Division, Kurnool-1	2019-2020	0.03068	Consultanc y work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M.Bashamohi ddin	Compressive strength of Cubes	M/s JSW Cement Limited,Plot No.:1, First Floor, Balaji Complex, Silpa Birla Compound, Gooty Road, Opp Adithi Hotel, Kurnool-518002 (A.P)	2019-2020	0.01416	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.T. Chandra Sekhara Reddy	Steel & Mix Design	Y. Raghotham Reddy, Class-1 Contractor, Kurnool Municipal Corporation, Kurnool.	2019-2020	0.2124	Consultanc y work only, No trainees
M.Bashamohi ddin	Soil Testing	Samhitha Infra Structures, D. No. 51/14/68/D4 Challawari street Yashoda hospital lane, Kurnool-AP	2019-2020	0.00708	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Reliance Jio, N G O`S Colony, Nandyal.	2019-2020	0.00708	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	Reliance Jio, N K Road Opp to State Bank, Nandyal.	2019-2020	0.00708	Consultanc y work only, No trainees
M.Bashamohi ddin	Compressive strength of Cubes	M/s JSW Cement Limited,Plot No.:1, First Floor, Balaji Complex, Silpa Birla Compound, Gooty Road, Opp Adithi Hotel, Kurnool-518002 (A.P)	2019-2020	0.02124	Consultanc y work only, No trainees

KURNOOL, ANDHRA PRADESH , 518007

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

G. Nagesh Kumar	Cement Testing	D-CON AAC Bricks, Near HP Petrol bunk, Yaganti Palli (V), Banaganapalli(M) Kurnool (Dt.)	2019-2020	0.01416	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	The Executive Engineer, APMSIDC Division, Kurnool.	2019-2020	0.09204	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	M/s JSW Cement Limited, Plot No.:1, First Floor, Balaji Complex, Silpa Birla Compound, Gooty Road, Opp Adithi Hotel, Kurnool-518002 (A.P)	2019-2020	0.00708	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	Sri. G.Krishna Reddy, Sri. G.Sreenivasa Reddy Nehru Nagar, Kurnool.	2019-2020	0.03068	Consultancy work only, No trainees
sowjanya	Aggregate	Sr. Assistant Divisional Engineer, S.C. Railway, Adoni	2019-2020	0.01947	Consultancy work only, No trainees
Dr.Bjs varaprasad	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultancy work only, No trainees
Dr. M.Sreenivasula Reddy	Structural Stability Check	K. Chandra Mouli Reddy, S/O K. Siva Sankara Reddy Smt. K. Aravinda, W/O K. Chandra Mouli Reddy H. No. 46-89-3-2, Beside Gowri Gopal Hospital, Bhudhawar pet, Kurnool.	2019-2020	0.118	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	The Executive Engineer, APMSIDC Division, Kurnool.	2019-2020	0.12272	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.Bjs varaprasad	Compressive strength of Cubes	Samhitha Infra Structures, D. No. 51/14/68/D4, Challawari street Yashoda hospital lane, Kurnool-AP	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.Kvs Gk. Sastry	Compressive strength of Cubes	M/s JSW Cement Limited,Plot No.:1, First Floor, Balaji Complex, Silpa Birla Compound, Gooty Road, Opp Adithi Hotel, Kurnool-518002 (A.P)	2019-2020	0.02124	Consultanc y work only, No trainees
Dr.S.RadhaKri shna	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.S.RadhaKri shna	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.S.RadhaKri shna	Compressive strength of Cubes	Reliance Jio, Santhosh Nagar, Kurnool.	2019-2020	0.00708	Consultanc y work only, No trainees
S.V. Garata Reddy	Soil Testing	The Municipal Commissioner, Dhone Municipality, Dhone	2019-2020	0.0826	Consultanc y work only, No trainees
Dr.Kvs Gk. Sastry	Mix Design	The Municipal Commissioner, Dhone Municipality, Dhone	2019-2020	0.1593	Consultanc y work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	The Executive Engineer (FAC), APSSA, Kurnool.	2019-2020	0.03068	Consultanc y work only, No trainees
S.V. Garata Reddy	Soil Testing	M/s Sri Bhargava Infra Projects, Kurnool.	2019-2020	0.09204	Consultanc y work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

N.Sarat Chandra Reddy	Soil Testing	The Deputy Executive Engineer, (R&B) Sub Division, Pattikonda.	2019-2020	0.03776	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	M/s Jereddy Construction Solutions,GF1, MMI Honey Apartment, Chanikyapuri Colony, A-camp,Kurnool.	2019-2020	0.0708	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water testing	M/s Santhosh Cotton, Zinning & Pressing Pvt Ltd, Suvey No`s. 4A, 4B2 & 4B3, Kallubavi (V), Adoni (M), Kurnool Dist.	2019-2020	0.01534	Consultancy work only, No trainees
Sowjanya	Bitumen Extraction	The Manager (E), APIIC Ltd., Kurnool.	2019-2020	0.01298	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	M/s Sree Brhita Visita Chemicals Pvt Ltd, Gondiparla (V), Kurnool Dist.	2019-2020	0.02124	Consultancy work only, No trainees
N.Sarat Chandra Reddy	Soil Testing	Megha Engineering & Infrastructures Private limited, S-2, Technocrat Industrial Estate, Balanagar, Hyderabad.	2019-2020	0.04366	Consultancy work only, No trainees
Dr.K. Chinnapa Reddy	Soil Testing	M/s Krishna kanth infra projects Private Limited, Shop No: 10,11,12,13, 3rd Floor, Sashikanth Plaza, Shilpa Birla compound, Kurnool.	2019-2020	0.1534	Consultancy work only, No trainees
N.Sarat Chandra Reddy	Soil Testing	The Deputy Executive Engineer, S.I Sub division, Dhone.	2019-2020	0	Consultancy work only, No trainees
S.V. Garata Reddy	Soil Testing	C Esver reddy and Co, Flat No.105,Sailok Enclave, Sapthagiri nager, Kurnool	2019-2020	0.03068	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

sowjanya	Wet Mix Mecadam	Manager (Engg), APIIC,Kurnool.	2019-2020	0.10974	Consultanc y work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	The Deputy Executive Engineer, PRI Sub- Division, Kurnool.	2019-2020	0.06136	Consultanc y work only, No trainees
Dr.E.Sanjeeva Rayudu	Water testing	BAAS Project & Solutions Private Limited, 87-D, Shalini Estate, Krishna Nagar , Aallagadda, Kurnool Dist.	2019-2020	0.0177	Consultanc y work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. S.Sekhar Babu, Railway Quarters No 1101/B, Opp. Old Railway junior College, Prabhat Nagar, Guntakal, Anatapuramu Dist.	2019-2020	0.03068	Consultanc y work only, No trainees
Dr.E.Sanjeeva Rayudu	Water testing	Sri. K. Jagan mohan Reddy, N. R. Revenue Colony, Kurnool	2019-2020	0.02006	Consultanc y work only, No trainees
Dr.E.Sanjeeva Rayudu	Compressive strength of Cubes	Samhitha Infra Structures, D. No. 51/14/68/D4, Challawari street, Yashoda hospital lane, Kurnool-AP	2019-2020	0.00708	Consultanc y work only, No trainees
N.Sarat Chandra Reddy	Soil Testing	M/s E. P. R. Constructions, Nandyal, Kurnool Dist.	2019-2020	0.0826	Consultanc y work only, No trainees
Dr.E.Sanjeeva Rayudu	Compressive strength of Cubes	Samhitha Infra Structures, D. No. 51/14/68/D4, Challawari street, Yashoda hospital lane, Kurnool-AP	2019-2020	0.00708	Consultanc y work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Assistant Engineer, (R&B) Section, Dhone.	2019-2020	0.03068	Consultanc y work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Guru Murthy	Soil Testing	Sri. Chenna Reddy Gari Nagi Reddy Banaganapalli (V), Kurnool Dist.	2019-2020	0.18408	Consultancy work only, No trainees
Dr.M.Sreenivasula reddy	Structural Stability Check	Atla Venkata Subba Reddy, S/o A. Subba Reddy, H.No 28-772-A2-5, Lalitha Nagar, NGO Colony, Nandyal.	2019-2020	0.767	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Orient Cement Ltd, Shop No:- 220 & 221, Sai Vasanth Complex, Birla Compound, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Orient Cement Ltd, Shop No:- 220 & 221, Sai Vasanth Complex, Birla Compound, Kurnool.	2019-2020	0.00531	Consultancy work only, No trainees
S.V. Garata Reddy	Soil Testing	The Deputy Executive Engineer, TBP Sub Division, Yemmiganue, Kurnool Dist.	2019-2020	0.12272	Consultancy work only, No trainees
Dr.Kvs Gk. Sastry	Cement Testing	M/s Sri Chakra Cement Limited, Hyderabad	2019-2020	0.03068	Consultancy work only, No trainees
S.V. Garata Reddy	Soil Testing	Varnasol Constructions, Sri. B.Ravi Shankar (Proprietor), S/o Sri. B. Sreenivasulu, H.No. 7-9-3-8, Kothapeta, Dhone, Kurnool (Dist).	2019-2020	0.06136	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Samhitha Infra Structures, D. No. 51/14/68/D4, Challawari street, Yashoda hospital lane, Kurnool-AP	2019-2020	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

N.Sarat Chandra Reddy	Soil Testing	Sri.P. Naga Rajesh, S/O Sri. P. Venkata subbaiah, C/o Manikanta cloth stores, K.G. Road, Pamulapadu (V), Atmakur (Tq), Kurnool (Dist).	2019-2020	0.06136	Consultancy work only, No trainees
N.Sarat Chandra Reddy	Soil Testing	The Deputy Executive Engineer, RWS&S Sub Division, Alur.	2019-2020	0.00472	Consultancy work only, No trainees
N.Sarat Chandra Reddy	Soil Testing	Deputy Executive Engineer, Vigilance & QC RWS&S, Kurnool.	2019-2020	0.05428	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri V. Srinivasulu, Director, TGV Projects & Investments Pvt. Ltd., 40/304, K.J. Complex, Bhagya Nagar, Kurnool.	2019-2020	0.0826	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	Samhitha Infra Structures, D. No. 51/14/68/D4, Challawari street, Yashoda hospital lane, Kurnool-AP	2019-2020	0.00708	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. Y.Raghothama Reddy, 406, Jampala Residency, Ganesh Nagar, Kurnool.	2019-2020	0.03068	Consultancy work only, No trainees
N.Sarat Chandra Reddy	Soil Testing	The Deputy Executive Engineer, RWS&S Sub Division, Alur.	2019-2020	0.0177	Consultancy work only, No trainees
G. Nagesh Kumar	AAC Blocks	Sri. T. Somnath Yadav, Flat No.: 501, Sai Sri Residency, Brindavan Nagar, Kurnool.	2019-2020	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.E.Sanjeeva Rayudu	Water testing	Sri. T. Somnath Yadav, Flat No.: 501, Sai Sri Residency, Brindavan Nagar, Kurnool.	2019-2020	0.01652	Consultancy work only, No trainees
M.Bashamohiddin	Compressive strength of Cubes	MEGHA ENGINEERING AND INFRASTRUCTURES LIMITED S-2 Technocrat indl. Estate, Bala Nagar, Hyderabad	2019-2020	0.00708	Consultancy work only, No trainees
sowjanya	GSE, WMM & MSS Bitumen	Manager (Engg), APIIC, Kurnool.	2019-2020	0.25016	Consultancy work only, No trainees
N.Sarat Chandra Reddy	Soil Testing	Deputy Executive Engineer, Vigilance & QC RWS&S, Kurnool.	2019-2020	0.02714	Consultancy work only, No trainees
V.K. Visweswararao	Cement Testing	APADCL, Kurnool Airport, Kurnool Dist.	2019-2020	0.04838	Consultancy work only, No trainees
G. Nagesh Kumar	Mix Design	The Municipal Commissioner, Atmakur Municipality, Atmakur, Kurnool Dist.	2019-2020	0.1593	Consultancy work only, No trainees
sowjanya	Aggregate	MEGHA ENGINEERING AND INFRASTRUCTURES LIMITED S-2 Technocrat indl. Estate, Bala Nagar, Hyderabad	2019-2020	0.02006	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water testing	Sri. Bhavani shankar, Plot No.: 120, Marutji Harivillu, Pasupala Road, Kurnool.	2019-2020	0.01652	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	S. Praneeth Sai, JNTU, Anantapur	2019-2020	0.04012	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. H. Raghavendra Rao	Composites	K. Manohar Reddy, JNTU, Anantapur	2019-2020	0.03776	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	K. Manohar Reddy, JNTU, Anantapur	2019-2020	0.0059	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	M. Kishan, Osmania University, Hyderabad	2019-2020	0.118	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	P. Baba Mohammed Irfan, JNTU, Anantapur	2019-2020	0.0708	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	B. Anjaneyulu, JNTU, Anantapur	2019-2020	0.0295	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	D.K. Jawad, JJTU, Rajasthan	2019-2020	0.0472	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	D. Harsha Vardhan, JNTU, Anantapur	2019-2020	0.0354	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	B. Kalyan, JNTU, Pulivendula	2019-2020	0.00944	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	M. Siva Surya, JNTU, Anantapur	2019-2020	0.118	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	SVR Engineering College, Ayyalur (V) Nandyal	2019-2020	0.0236	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Ch. Venkata Sai Ram, Sri Vasavi Engineering College, Tadipalligudem	2019-2020	0.0708	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	B. Sumasri, SVCET, Chittoor	2019-2020	0.0708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. H. Raghavendra Rao	Composites	A. Dileep, SVCET, Chittoor	2019-2020	0.0708	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	J. Bhanu Prakash, JNTUACE, Kalikiri	2019-2020	0.02124	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	A. Lakshmi Prasad, JNTUACE, Pulivendula	2019-2020	0.01416	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	J. Bhanu Prakash, JNTUACE, Kalikiri	2019-2020	0.0177	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	P. Omprasad, JNTUACEP, Pulivendula	2019-2020	0.0236	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Palla Prashanth, JNTUACEP, Pulivendula	2019-2020	0.02832	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	P. Pranay Kumar Reddy, SRIT, Anantapur	2019-2020	0.02124	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	K. Murali Krishna, SRIT, Anantapur	2019-2020	0.0354	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Sri. Ghouspeer S, SRIT, Anantapur	2019-2020	0.02832	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	P. Jagadeesh, JNTUA, Anantapur	2019-2020	0.0118	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	K. Sai Chandan, GIT, Gooty.	2019-2020	0.0413	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	K. Guru Raghavendra, BITS, Kurnool	2019-2020	0.02832	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

				9.9238	
2020-2021					
Dr.J.V.Guru Murthy	Soil Testing	Head Master, MPPS(M), H.Muravani (V), Peddakadubur(M), Kurnool (Dist).	2020-2021	0.02	Consultancy work only, No trainees
N.Sath Chandra Reddy	Soil Testing	The Manager (QC), Skandhanshi Infra Projects India Pvt Ltd, Kurnool.	2020-2021	0.02478	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Executive Engineer (FAC), AP Samagra Shiksha, Kurnool	2020-2021	0.03068	Consultancy work only, No trainees
V.K.Visweswara Rao	Compressive Strength of Cubes	Biniginapalli Enterprise, Hyderabad.	2020-2021	0.00708	Consultancy work only, No trainees
sowjanya	Aggregate	KEC International Ltd, RPG House, 463, Dr. Annie Besant Road, Worli, Mumbai, 400030.	2020-2021	0.01593	Consultancy work only, No trainees
V.K.Visweswara Rao	Cement blocks	M/s Sree Lakshmi Venkateswara Bricks, Orvakal, Kurnool.	2020-2021	0.01062	Consultancy work only, No trainees
V.K.Visweswara Rao	Mix Design	The Municipal Commissioner, Allagadda Municipality, Allagadda, Kurnool Dist.	2020-2021	0.1593	Consultancy work only, No trainees
V.K.Visweswara Rao	Aggregate	The Head Master, ZPHS School, Muzaffar Nagar, Kallur (M), Kurnool (Dist).	2020-2021	0.08319	Consultancy work only, No trainees
Dr.kvsgk.sastray	Steel	The Executive Engineer (FAC), AP Samagra Shiksha, Kurnool.	2020-2021	0.02124	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Guru Murthy	Soil Testing	The Executive Engineer (FAC), AP Samagra Shiksha, Kurnool	2020-2021	0.03068	Consultancy work only, No trainees
Dr. M.Sreenivasula reddy	Mix Design	The Executive Engineer (FAC), AP Samagra Shiksha, Kurnool	2020-2021	0.1593	Consultancy work only, No trainees
Dr. K.Chinnappa Reddy	Soil Testing	Dr. C. Vasu Reddy V.R Multi Specialty , Hospital, Prakash Nagar, Kurnool.	2020-2021	0.0472	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Deputy Executive Engineer,(R&B)Sub-Division, Yemmiganur.	2020-2021	0.0413	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. N. Prasad, Technical Officer, MPDO Office, Orvakal (Mandal), Kurnool Dist.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. G. Prasadaraao, Deputy Executive Engineer, HLC (Loc) Sub-Division, Garladinne, Anantapur Dist.	2020-2021	0.12272	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Megha Engineering & Infrastructure LTD. S-2, Technocrat Indl. Estate, Balanagar, Hyderabad-500037	2020-2021	0.04366	Consultancy work only, No trainees
Dr. K.Chinnappa Reddy	Soil Testing	The Assistant Executive Engineer, (R&B) Section - Orvakal, Kurnool Dist.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.M.sreenivasula Reddy	Proof check of drawings	STAPATHI Architects & Engineers, H.No 43/128-J, Srinivasa Nagar, KURNOOL - 518004.	2020-2021	0.08024	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.M.sreenivasula Reddy	Proof check of drawings	STAPATHI Architects & Engineers, H.No 43/128-J, Srinivasa Nagar, KURNOOL - 518004.	2020-2021	0.4012	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Sri. M. Rangappa, Executive Engineer (FAC), AP Samagra Shiksha, Kurnool Dist.	2020-2021	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	M/s Kriven Engineers and Enterprises LLP, 18-10/2-11/1, Durga nillayam, 7th Lane, Kedareswarapet, Vijayawada.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	M/s Kriven Engineers and Enterprises LLP, 18-10/2-11/1, Durga nillayam, 7th Lane, Kedareswarapet, Vijayawada.	2020-2021	0.01652	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio, Hyderabad.	2020-2021	0.01416	Consultancy work only, No trainees
sowjanya	Aggregate	M/s Paidala Thirupathi Reddy & Brothers, Nellore.	2020-2021	0.3304	Consultancy work only, No trainees
Dr.kvsgk.sastriy	Design Mix	M/s PTR Brothers Projects, Nellore.	2020-2021	0.531	Consultancy work only, No trainees
sowjanya	Design Mix	M/s PTR Brothers Projects, Nellore.	2020-2021	0.7434	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	Reliance Jio, (Site Id: 630106116 Kothakota ILA).	2020-2021	0.01416	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

G.nagesh Kumar	Light weigh bricks	Sahasra Industries, D. No. 40/437, Ground Floor, Opp Children's park, Eswar Nagar, Kurnool.	2020-2021	0.01416	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	Sri. B Aleem Miah, B.A.S.M.S. Constructions, Kurnool.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. V.Bala Chandra Reddy, Plot No 74, Survey No 620/B, L.P. No 476/79, Doctors Colony, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	M/s Kriven Engineers and Enterprises LLP, 18-10/2-11/1, Durga nillayam, 7th Lane, Kedareshwarpet, Vijayawada.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Smt. L. Renuka, W/o Sri. L. Sri Ranganayakulu, Plot No:166, Ganesh Nagar, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	BAAS Project Solutions Pvt Ltd, Allagadda, Kurnool.	2020-2021	0.01652	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	Reliance Jio, (Site Id: KWTL0002 Halvi)& (Site Id: KWTL0004 Kumbalanur) Binginapalli, Kurnool Dist.	2020-2021	0.01416	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Guru Murthy	Soil Testing	Assistan Executive Engineer, (R & B) Section, - Orvakal Kurnool (Dt.)	2020-2021	0.03068	Consultanc y work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	M/s Kriven Engineers and Enterprises LLP, 18-10/2-11/1, Durga nillayam, 7th Lane, Kedareswarapet, Vijayawada.	2020-2021	0.00708	Consultanc y work only, No trainees
sowjanya	Bitumen	Skandhanshi Infra Projects India Pvt Ltd, 3rd Floor Skandhanshi Empire, Beside CN Hospital, Gooty Road, Kurnool.	2020-2021	0.0944	Consultanc y work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio, (Site Id: 630106116 Kothakota ILA).	2020-2021	0.01416	Consultanc y work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Sri. Chakram Hari, Plot Nos. 21 & 26, Sy. No. 201, 199/2, Nandanapalli (v), Near Venkayapalli Yellamma Temple Kurnool (Dt.)	2020-2021	0.06136	Consultanc y work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio, (Site Id: KSIG - 0005) Kosigi, Banginipalli.	2020-2021	0.00708	Consultanc y work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio, (Site Id: NDVR - 0005) Nagaladinne, Banginipalli.	2020-2021	0.00708	Consultanc y work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio, (Site Id: KWTL - 0004) Kumbalanur, Banginipalli.	2020-2021	0.00708	Consultanc y work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio, (Site Id: KWTL - 0004) Kumbalanur, Banginipalli.	2020-2021	0.00708	Consultanc y work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

G.nagesh Kumar	Clay bricks	Vasuky Engineers, Hyderabad.	2020-2021	0.01652	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	M/s Kriven Engineers and Enterprises LLP, 18-10/2-11/1, Durga nillayam, 7th Lane, Kedareshwarapet, Vijayawada.	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio, (Site Id: KWTL - 0004) Kumbalanur, Banginipalli.	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	BSRV Prasad Electrical Works, Vijayawada.	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	BSRV Prasad Electrical Works, Vijayawada.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	Reliance Jio Towers, (Site Id: I-AP-KRNL-ESC-0065- R Konthalapadu)	2020-2021	0.01416	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Y. Raghotham Reddy, Class-1 Contractor, Kurnool Municipal Corporation, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	N. Sridhar Reddy, Survey No. 660/C, L.P No. 319/82, Plot Nos. 187 & 188, Joharapuram (V), Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Dy. Executive Engineer, A.P.E.W.I.D.C., Sub Division, Adoni.	2020-2021	0.06136	Consultancy work only, No trainees
V.K.Visweswara Rao	sand	Sri. T.V.S. Surendra, Veldurthy (V & M), Kurnool (Dt.)	2020-2021	0.02124	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.M.sreenivasula Reddy	Mix Design	K V Radhika Infra, Sri. K. Vijaya Sekhara Reddy, Kurnool.	2020-2021	0.1593	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	M/s. B A M S M Constructions, G-01, Ground floor, Viswa Apartment, Prakash Nagar, Kurnool.	2020-2021	0.06136	Consultancy work only, No trainees
Dr.M.sreenivasula Reddy	Cement	M/s East West Minerals, Dhone.	2020-2021	0.11741	Consultancy work only, No trainees
G.nagesh Kumar	Mix Design	Viswa Sai Spun Pipes, New Buildings, Gargeyapuram (V), Kurnool (Dist).	2020-2021	0.1593	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Skandhanshi Infra Projects India Pvt Ltd, 3rd Floor Skandhanshi Empire, Beside CN Hospital, Gooty Road, Kurnool.	2020-2021	0.0177	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	Sri Sai maruthi contractors, BUJUNUR (V), Gadivemula (M), Kurnool - Dt.	2020-2021	0.02124	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. Tapasya Developers, Plot Nos. 115 & 116, Revenue colony, Gadwal, Telangana state	2020-2021	0.12272	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Executive Engineer (FAC), AP Samagra Shiksha, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Executive Engineer (FAC), AP Samagra Shiksha, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.K.Chinnappa Reddy	Soil Testing	Executive Engineer (FAC), AP Samagra Shiksha, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Executive Engineer (FAC), AP Samagra Shiksha, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.kvsgk.sastri	Steel	The Executive Engineer (FAC), AP Samagra Shiksha, Kurnool.	2020-2021	0.03186	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Deputy Executive Engineer, AP Samagra Shiksha, Kurnool.	2020-2021	0.06136	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Sri. C.P.Hemasundar Reddy, Plot No 205, Ashok Nagar, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	Sri Sai maruthi contractors, BUJUNUR (V), Gadivemula (M), Kurnool - Dt.	2020-2021	0.03186	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio Towers, (Site Id: I-AP-KRNL-ESC-0065- R Konthalapadu)	2020-2021	0.01416	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio Towers, (Site Id: I-AP-UAHQL-ESC-0001- Ulindakonda)	2020-2021	0.01416	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Sri. Atla Venkata Subba Reddy, Allagadda.	2020-2021	0.06136	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M.Basha Mohiddin	Compressive Strength of Cubes	Kriven Engineers and Enterprises LLP, Flat No. 101, Plot No. 29, Sai Shree palm tree apartments, Sunkesula Road, Mamidalapadu, Kurnool	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00708	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Deputy Executive Engineer, AP Samagra Shiksha, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Deputy Executive Engineer, AP Samagra Shiksha, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	The Executive Engineer, FAC R & B Division, Nandyal.	2020-2021	0.06136	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	BASMS Constructions, KURNOOL	2020-2021	0.00531	Consultancy work only, No trainees
sowjanya	WBM & GSB	K. Bhaskar, B.Tech, Assistant Executive Engineer, (R & B) Section, Orvakal.	2020-2021	0.1888	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V.Garata Reddy	Soil Testing	The Assistant Executive Engineer, (R & B) Section, Orvakal.	2020-2021	0.02714	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	M/s Varnasol Constructions, Prop. Bachu Ravi Shankar, H.No. 7-9-3-8, Kothapeta, Dhone.	2020-2021	0.06136	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	M/s Sri Buddha Engineering & Constructions Pvt Ltd, H.No: 87-1388-N, Seshadri Nagar, Kurnool.	2020-2021	0.03304	Consultancy work only, No trainees
sowjanya	SDBC Design Mix	Megha Engineering & Infrastructures Ltd. S-2, Technocrat. Indl. Estate, Balanagar, Hyderabad	2020-2021	0.14986	Consultancy work only, No trainees
sowjanya	GSB & WBM	Megha Engineering & Infrastructures Ltd. S-2, Technocrat. Indl. Estate, Balanagar, Hyderabad	2020-2021	0.236	Consultancy work only, No trainees
V.K.Visweswara Rao	Mix Design	Megha Engineering & Infrastructures Ltd. S-2, Technocrat. Indl. Estate, Balanagar, Hyderabad	2020-2021	0.1829	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Megha Engineering & Infrastructures Ltd. S-2, Technocrat. Indl. Estate, Balanagar, Hyderabad	2020-2021	0.1239	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	Reliance Jio, Hyderabad.	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio Towers, Binganapalli.	2020-2021	0.02124	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M.Basha Mohiddin	Compressive Strength of Cubes	SHREE CEMENT LIMITED, (HanumanthaRao) Kurnool.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. P. Vijay Vardhan Reddy, Flat No. 501, V.L.Towers, Joharapuram Raod, Kurnool.	2020-2021	0.12272	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Kriven Engineers and Enterprises LLP, 18-10/2-11/1, Durga Nilayam, 7th Lane, Kedareswarapet, Vijayawada-3.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Sthapathi Architects & Engineers, #43-128-J, Srinivasa Nagar, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Reliance Jio Towers, Site ID: MTLM-0001, Site Name: Kachapuram.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	C.S. Ramesh Babu, D. No. 46-769, Budhawar pet, Kurnool.	2020-2021	0.01652	Consultancy work only, No trainees
sowjanya	Aggregate	Sri. D. Mahendar Reddy, Plot No 15, Indraprastha Enclave, Rock Town, L B Nagar, Hyderabad.	2020-2021	0.01475	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	Kriven Engineers and Enterprises LLP, 18-10/2-11/1, Durga Nilayam, 7th Lane, Kedareswarapet, Vijayawada-3.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Smt. Medum Nirmala Kumari, 40/29 G Medum Compound, Kurnool.	2020-2021	0.0354	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Guru Murthy	Soil Testing	Executive Engineer (FAC), A P Samagra Siksha, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Project Manager, CBSE South Asia Pvt. Ltd.	2020-2021	0.00531	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri Jwala Prayoga Central Trust, Room No.9, Sunshine complex, Lakdikapool, HYDERABAD.	2020-2021	0.05428	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Sri. Progressive projects, Hyderabad.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.M.sreenivasula Reddy	Compressive Strength of Cubes	Deputy Executive Engineer (C), A.P.S.R.T.C, Kurnool.	2020-2021	0.295	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Kriven Engineers and Enterprises LLP, 18-10/2-11/1, Durga Nilayam, 7th Lane, Kedareswarapet, Vijayawada-3.	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Structural stability test	Reliance Jio Towers, Binganapalli.	2020-2021	0.04248	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Executive Engineer, SRBC Division no.1, Banaganapalli.	2020-2021	0.15576	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Deputy Executive Engineer, (R & B) Sub- division, Yemmiganur.	2020-2021	0.03068	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M.Basha Mohiddin	Compressive Strength of Cubes	Sri. Buddha Engineering & Constructions PVT. LTD., H.No.87-1388-N, Sheshadri Nagar, Kurnool.	2020-2021	0.01416	Consultancy work only, No trainees
G.nagesh Kumar	Steel	The Executive Engineer (R&B) Division, Adoni.	2020-2021	0.0944	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Sri. P. Vijay Vardhan Reddy, Flat No. 501, V.L.Towers, Joharapuram Raod, Kurnool.	2020-2021	0.00708	Consultancy work only, No trainees
V.K.Visweswara Rao	Steel	Adani wilmar limited, Mantralayam.	2020-2021	0.15104	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Megha Engineering & Infrastructures Ltd. S-2, Technocrat. Indl. Estate, Balanagar, Hyderabad	2020-2021	0.0531	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	The Commissioner, Yemmiganur Municipality, Yemmiganur.	2020-2021	0.09204	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	K. Subba Rao, Plot No 36, L. Venkaiah Nagar, Near Yadav Nagar, Ward No 92, Kallur (V&M), Kurnool (Dist).	2020-2021	0.01652	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	/s S.R Fortune Infra Projects Pvt. Ltd, H.No 87-1149, 1st Floor, Road No 2, Nagi Reddy Revenue Colony, Kurnool.	2020-2021	0.16992	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Guru Murthy	Soil Testing	Syed Sharmila Banu, The Pristine Builders & Developers, Krishna Nagar, Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Deputy Executive Engineer (FAC), (R & B) Sub- division, Yemmiganur.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Executive Engineer, Kurnool Municipal Corporation, Kurnool.	2020-2021	0.24544	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	M. Sreenivasulu, Plot No 28, SomisettyNagar, Near Joharapuram Road, Kurnool.	2020-2021	0.01652	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Sri. P. Vijay Vardhan Reddy, Flat No. 501, V.L.Towers, Joharapuram Raod, Kurnool.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.E.Sanjeeva Rayudu	Water Testing	Skandhanshi Infra Projects India Pvt Ltd, 3rd Floor Skandhanshi Empire, Beside CN Hospital, Gooty Road, Kurnool.	2020-2021	0.02714	Consultancy work only, No trainees
K.Sudhakar Reddy	Surveying	B. Madhusudhna Reddy, H. No 402, Pristine Apartment, Nehru Nagar, Kurnool.	2020-2021	0.01652	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Sri. P. Nagesh Reddy, Survey No 31/3A, Parnapalle (V), Bandi Atmakur (M), Kurnool (Dist).	2020-2021	0.0472	Consultancy work only, No trainees
Dr.M.sreenivasula Reddy	Cement	BINGINAPALLI ENTERPRISES, Vijayawada.	2020-2021	0.02124	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.E.Sanjeeva Rayudu	Water Testing	M/s B & K CONSTRUCTIONS, Sy No. 23A1AB, Ayyalacheruvu, Kurnool Road, Betamcherla, Kurnool Dist.	2020-2021	0.06608	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	M/s S.R Fortune Infra Projects Pvt. Ltd, H.No 87-1149, 1st Floor, Road No 2, Nagi Reddy Revenue Colony, Kurnool.	2020-2021	0.02006	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Smt. G. Jahanara & Sri. G. Khaja Sheraz, 39-7-3/4F, KVR Garden, Kurnool.	2020-2021	0.0472	Consultancy work only, No trainees
Dr.K.Chinnappa Reddy	Soil Testing	Executive Engineer, APSIDC Division, Kurnool.	2020-2021	0.08496	Consultancy work only, No trainees
Dr. K.Chinnappa Reddy	Soil Testing	Deputy Executive Engineer, MIW Sub Division, Water Resource Dept. Kurnool.	2020-2021	0.03068	Consultancy work only, No trainees
sowjanya	Aggregate	SPML-NCC-MEIL(JV), #S-2, Technocrats Industrial Estate, Bala Nagar, Hyderabad - 500 037.	2020-2021	0.02242	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	BINGINAPALLI ENTERPRISES, Vijayawada.	2020-2021	0.00708	Consultancy work only, No trainees
Dr.T.Chandrasekhar Reddy	Mix Design	Sri Shaik Khaja Hussian, S/o Sharif Maih, H.No 76-97-266-8, Weaker Section Colony, Kurnool.	2020-2021	0.1593	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	BINGINAPALLI ENTERPRISES, Vijayawada.	2020-2021	0.00708	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

S.V.Garata Reddy	Soil Testing	Sri. B.R. Krishnamurthy, Plot No. 15, Survey Nos. 128/1, 128/3 & 340 Sathyasai Nagar, Near Weekersection colony, Kurnool.	2020-2021	0.06136	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	The Assistant Engineer, (R&B) Section, Dhone, Kurnool Dist.	2020-2021	0.03068	Consultancy work only, No trainees
Dr.BJS Varaprasad	Compressive Strength of Cubes	B. Dheeraj, Building Contractor, Kurnool	2020-2021	0.00531	Consultancy work only, No trainees
sowjanya	sand	SPML-NCC-MEIL(JV), #S-2, Technocrats Industrial Estate, Bala Nagar, Hyderabad - 500 037.	2020-2021	0.04228	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	M.Ravi Krishna Reddy, Sy. No. 127/1/C, Joharapuram, Kurnool	2020-2021	0.12272	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	Sri. B.N. Nagaraju, Plot No.202, Joharapuram Road, Kurnool	2020-2021	0.03068	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00709	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.0071	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00711	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00712	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00713	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00714	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00715	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	M/S Parvani Developers, Dhone	2020-2021	0.09024	Consultancy work only, No trainees
S.V.Garata Reddy	Soil Testing	Sri. Tejeswani, Seetharamapuram, Kurnool	2020-2021	0.06136	Consultancy work only, No trainees
sowjanya	sand	Sai Neelam Stone crushers, Wanaparthi	2020-2021	0.01357	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	The municipal corporation, Dhone	2020-2021	0.03068	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	The municipal corporation, Dhone	2020-2021	0.03069	Consultancy work only, No trainees
Dr.J.V.Guru Murthy	Soil Testing	The Senior Section Engineer, South central railway, Kurnool	2020-2021	0.05428	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00708	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.00709	Consultancy work only, No trainees
M.Basha Mohiddin	Compressive Strength of Cubes	Binganapalli Enterprises, VIJAYAWADA	2020-2021	0.0071	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr.J.V.Guru Murthy	Soil Testing	The Senir Section Engineer, South central railway, Kurnool	2020-2021	0.02718	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Reshma, JNTUA, Anantapur	2020-2021	0.118	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	K. Manohar Reddy, PVKK College, Anantapur	2020-2021	0.0767	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. Sunil Kumar, G. Pulla Reddy Dental College & Hospital, Kurnool	2020-2021	0.1534	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	M. Haripriya, JNTUA	2020-2021	0.0295	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	D. Ashok, JNTUA	2020-2021	0.0944	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	S. Kavya, JNTUA	2020-2021	0.0472	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	N. Satheesh Kumar, SITAMS, Chittoor	2020-2021	0.0531	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. M. Shabharish Shyam Kumar, GPR Dental College & Hospital, KNL	2020-2021	0.0944	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. V. Sahithi, GPR Dental College & Hospital, KNL	2020-2021	0.1416	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	V. Vamsi Krishna, JNTUA College of Engineering, Pulivendula	2020-2021	0.07788	Consultancy work only, No trainees
Dr. E. Venugopal Goud	Wear Test	M. Kolutlaiah, JNTUA College of Engineering, Pulivendula	2020-2021	0.0118	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. H. Raghavendra Rao	Composites	K. Rama Subba Reddy, JNTUA College of Engineering, Pulivendula	2020-2021	0.0354	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	M. Sekhar, JNTUA College of Engineering, Anantapuramu	2020-2021	0.03776	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	P. Ravi Kiran, JNTUA College of Engineering, Anantapuramu	2020-2021	0.02832	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	P.V. Jaya Sankar, JNTUA College of Engineering, Anantapuramu	2020-2021	0.02124	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	P. Maheswara Reddy, JNTUA College of Engineering, Pulivendula	2020-2021	0.03068	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	A. Sri Harsha, JNTUA College of Engineering, Anantapuramu	2020-2021	0.0826	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	C. Ajay Kumar, JNTUA College of Engineering, Anantapuramu	2020-2021	0.03776	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. Madhukar, Professor of Physics Dept., Osmania University, Hyd	2020-2021	0.0354	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	T. Shiva Kumar, RGM College of Engg. & Tech, Nandyal	2020-2021	0.01416	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. Madhukar, Prof. of Physics, Osmania University, Hyderabad	2020-2021	0.05664	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	O. Sujatha, Osmania University, Hyderabad	2020-2021	0.06844	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	G. Mouneeswar Reddy, JNTUA, Anantapur	2020-2021	0.01416	Consultancy work only, No trainees

6.4.2 Funds Received from Non-Government bodies, individuals during Last Five years

Dr. H. Raghavendra Rao	Composites	K. Bakar Ahmed, (179F1D9403), SVIT, Anantapur	2020-2021	0.03068	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. K. Durga Prasad Naik, Vishnu Dental College, Bhimavaram	2020-2021	0.08496	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. M.Sowmya, Vishnu Dental College, Bhimavaram	2020-2021	0.118	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr.J. Sai Dinesh, Vishnu Dental College, Bhimavaram	2020-2021	0.0826	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. V. Santhosh kumar, Vishnu Dental College, Bhimavaram	2020-2021	0.118	Consultancy work only, No trainees
Dr. H. Raghavendra Rao	Composites	Dr. G .Achyuth Kumar, Vishnu Dental College, Bhimavaram	2020-2021	0.09912	Consultancy work only, No trainees